



Cast iron performance

WOODBURNING • MULTI-FUEL • GAS • ELECTRIC





Traditional Stoves

04

CONTENTS

Traditional stoves

250 stove	4 - 5
280 gas stove	6 - 7
280 electric stove	8 - 9
425 stove	10 - 11
425 gas stove	12 - 13
425 electric stove	14 - 15
500 stove	16 - 17
500 electric stove	18 - 19
555 stove	20 - 21
640 stove	22 - 23
700 stove	24 - 25
760 stove	26 - 27

Astroline contemporary stoves

Astroline 1 stove	28 - 29
Astroline 2 stove	30 - 31
Astroline 3 stove	32 - 33
Astroline 4 stove	34 - 35
Astroline 350 stove	36 - 37
Astroline 360 stove	38 - 39

Contemporary cassette fireplaces

2510 double-sided cassette	40 - 41
2520 cassette	42 - 43

Traditional insert and canopied fireplaces

1800 fireplace	44 - 45
2000 fireplace	46 - 47
2300 fireplace	48 - 49
2400 fireplace	50 - 51
2700 fireplace	52 - 53
2900 fireplace	54 - 55
1800 gas fireplace	56 - 57
2700 gas fireplace	58 - 59
Canopies and accessories	60 - 61

Flue Pipe & Stove Care	62 - 63
Dimensions	64 - 67



Contemporary Cassette Fireplaces

40




Astroline Contemporary Stoves

28



Traditional Insert and Canopied Fireplaces

44



Dovre takes its company name from a range of Norwegian mountains, and has more than 60 years' experience in manufacturing stoves and fireplaces for the harshest of Arctic winters.

Furthermore, its knowledge of casting with premium grade iron is second to none. So much so, in fact, that all cast parts come with a 5 year guarantee.

Cast iron has many advantages – durability, better heat retention and longevity, as well as the ability to be moulded into a huge variety of shapes and textures, giving aesthetic beauty and immediate appeal whether your interior style is traditional or contemporary.

Over the decades, Dovre's product range has been developed and refined continuously. Today, its woodburning and multi-fuel stoves offer advanced cleanburn technology for improved combustion efficiency and care for the environment. Its airwash systems help keep the door glass clean, whilst there are also many models fuelled with the convenience of gas or electricity.



Wood is the better fuel in environmental terms as the amount of carbon dioxide released into the atmosphere is approximately the same as that absorbed by the tree during growth. It is also a renewable resource, particularly when derived from plantations and cultivated woodland. For optimum results, we recommend logs should be seasoned for 2 years or more to achieve a moisture content below 20%*. This will not only give up to twice the output of freshly felled timber but help avoid a build up of tar in your flue. Furthermore, if you can obtain hardwood logs this is better still, as they will have up to twice the calorific value of softwoods.

Whatever your choice - wood, multi-fuel, gas or electric - your Dovre stove or fireplace will be rugged, reliable and built to the uncompromising standards you would expect from our Scandinavian heritage.

* All efficiencies quoted in this brochure are for seasoned wood with a moisture content of less than 20%.

EXPERT RETAILER NETWORK

We take great care to ensure that our stoves and fireplaces are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will enable you to see a selection of models locally in their showrooms, often fully operational; discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design; and ensure that you select the most appropriate product for your home. These retailers will also be able to advise on or assist with the installation process as well as help provide any after-sales support and servicing of your appliance that you may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Further, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

FINISHES

Traditional matt black	
Ivory enamel	
Midnight blue enamel	
Forest green enamel	
Majolica brown enamel	
Black enamel	



Dovre 250CBW with short leg option

250

MULTI-FUEL & WOOD STOVES

✓ APPROVED FOR SMOKE CONTROL AREAS

The Dovre 250 multi-fuel is designed to suit a huge range of applications from a cottage kitchen to a modern town-house living room, especially as it is approved for smoke control areas. It has a large glass door panel and ornately cast side panels both adding to the visual appeal. Manufactured from only premium grade cast iron, the 250 is at home whether burning wood (logs up to 30cm long may be used) or a variety of solid fuels, and is equipped with a sophisticated airwash system to keep the door glass cleaner. Matt black woodburning and woodburning/smokeless fuel versions with cleanburn for improved heating efficiency are also available. Shorter legs are an option on the 250CBW model.

- All cast iron construction
- Woodburning or multi-fuel versions
- Airwash system
- DV-250 approved for Smoke Control Areas*
- Colour matched enamel flue pipe also available
- Maximum heat output: 4.9kW
- High efficiency: up to 77%
- Top or rear flue exit
- Flue diameter: 125mm
- Weight: 79kg

PRODUCT CODES

DV-250CBS	Matt black woodburner with cleanburn and airwash systems
DV-250CBW	Matt black woodburner/smokeless fuel with cleanburn
DV-250	Matt black multi-fuel with riddling grate and airwash system
DV-250BL	Midnight blue enamel multi-fuel with riddling grate and airwash system
DV-250BLK	Black enamel multi-fuel with riddling grate and airwash system
DV-250GR	Forest green enamel multi-fuel with riddling grate and airwash system
DV-250MJB	Majolica brown enamel multi-fuel with riddling grate and airwash system
DV-250IV	Ivory enamel multi-fuel with riddling grate and airwash system
DV250SCKIT	Smoke control kit. * Required to meet approval standards



Dovre 250 multi fuel stove in traditional matt black



Dovre 280 Gas conventional flue version with coal-effect fire

FINISHES

Traditional matt black	
Ivory enamel	
Midnight blue enamel	
Forest green enamel	
Black enamel	

280

GAS STOVES

An all-new model, the 280 Gas blends Dovre's pedigree in casting with the latest gas flame technology. So the fire not only looks highly realistic but also provides you with effective and controllable warmth. There are two distinctive models: conventional flue with coal-effect fire or balanced flue with log-effect fire – and both even have the option of remote controls to allow you to adjust the flames and heat from the comfort of your armchair.

- All cast iron construction
- Conventional flue version with realistic coal-effect fire
- Balanced flue version with realistic log-effect fire
- Colour matched enamel flue pipe also available
- Optional remote controls
- Maximum heat output: 3.6kW (CF) / 3.3kW (BF)
- Piezo ignition system requires no electricity supply
- Top or rear flue exit: 125mm (CF) / 152mm (BF)
- LPG and Natural Gas versions available
- Automatic safety shutdown in the event of pilot light failure or flue blockage
- Weight: 50kg (CF) / 54.4kg (BF)

PRODUCT CODES

280 CONVENTIONAL FLUE WITH COAL-EFFECT FIRE

Natural Gas	LPG
DV-280CFNG	DV-280CFLPG
DV-280CFNGIV	DV-280CFLPGIV
DV-280CFNGGR	DV-280CFLPGGR
DV-280CFNGBK	DV-280CFLPGBK
DV-280CFNGBL	DV-280CFLPGBL

280 BALANCED FLUE WITH LOG-EFFECT FIRE

Natural Gas	LPG	
DV-280BFNG	DV-280BFLPG	Matt black
DV-280BFNGIV	DV-280BFLPGIV	Ivory enamel
DV-280BFNGGR	DV-280BFLPGGR	Forest green enamel
DV-280BFNGBK	DV-280BFLPGBK	Black enamel
DV-280BFNGBL	DV-280BFLPGBL	Midnight blue enamel

HEAT OUTPUT

280 CONVENTIONAL FLUE

Energy Input: Nat. Gas: 4.6kW, LPG: 4.4kW
Heat Output: Nat. Gas: 3.6kW, LPG: 3.2kW

280 BALANCED FLUE

Energy Input: Nat. Gas: 4.2kW, LPG: 4.1kW
Heat Output: Nat. Gas: 3.3kW, LPG: 3.2kW



OPTIONAL REMOTE CONTROLS†

DV-8455: Standard
DV-8456: Programmable

† Once the pilot has been ignited manually, the Standard remote control allows you to vary the flame height and heat output from your armchair. The Programmable version also enables you to set the stove to switch itself on and off twice a day, to the temperature you select, so that you can wake up or come home to a cosy room and glowing fire.



TRADITIONAL STOVES



Dovre 280 Electric in ivory enamel

FINISHES

Traditional matt black



Ivory enamel



Midnight blue enamel



280

ELECTRIC STOVES

If you do not have a chimney or want to locate a stove in a space where it would be difficult to install a flue then the electric version of the 280 could be the answer. Once plugged in to a normal 13amp socket, you simply use the remote control to turn it on or off, adjust the heat or to select one of the 25 combinations of glow/flame speed that make the stove's 'log' fire one of the most authentic available. It truly is real fire ambience at the press of a button!

- All cast iron construction
- Exceptionally realistic log-effect with hand painted fuel bed and logs
- Choose any combination of 5 glow and 5 flame speed settings
- Discreetly concealed fan heater with 1kW and 2kW settings
- All functions operated from remote control so no bending
- Requires no flue, hearth or chimney
- Plugs into standard 13amp socket
- Safe to use in most locations around the home or conservatory
- Can be moved from room to room
- Weight: 50kg

PRODUCT CODES

DV-280E

Matt black, log-effect fire

DV-280EBL

Midnight blue enamel, log-effect fire

DV-280EIV

Ivory enamel, log-effect fire



FINISHES

Traditional matt black	
Ivory enamel	
Midnight blue enamel	
Forest green enamel	
Majolica brown enamel	
Black enamel	



Dovre 425 multi-fuel stove in forest green enamel

425

MULTI-FUEL STOVES

Available in a selection of deep enamel finishes as well as traditional matt black, the Dovre 425 has the style and performance to bring a warming glow to many a home. The woodburning version features Dovre's latest cleanburn system whilst the multi-fuel version, complete with riddling grate, is capable of burning a variety of solid fuels or logs and incorporates an airwash system to help keep the window clean.

- All cast iron construction ■
- Woodburning or multi-fuel versions ■
- Airwash system ■
- Colour matched enamel ■
- flue pipe also available ■
- Maximum heat output: 8kW ■
- High efficiency: up to 83% ■
- Top or rear flue exit ■
- Flue diameter: 150mm ■
- Weight: 130kg ■

PRODUCT CODES

DV-425CBW	Matt black woodburner with cleanburn
DV-425CBWL	Matt black woodburner with cleanburn and lattice door
DV-425	Matt black multi-fuel with riddling grate and airwash system
DV-425BL	Midnight blue enamel multi-fuel with riddling grate and airwash system
DV-425BLK	Black enamel multi-fuel with riddling grate and airwash system
DV-425GR	Forest green enamel multi-fuel with riddling grate and airwash system
DV-425MJB	Majolica brown enamel multi-fuel with riddling grate and airwash system
DV-425IV	Ivory enamel multi-fuel with riddling grate and airwash system



Dovre 425 multi-fuel stove in traditional matt black

TRADITIONAL STOVES



Dovre 425 Gas stove in ivory enamel



FINISHES

Traditional matt black	
Ivory enamel	
Midnight blue enamel	
Forest green enamel	
Black enamel	



Dovre 425 Gas in traditional matt black

425 GAS STOVES

Incorporating up-to-the-minute gas fire technology, Dovre's 425 Gas stove features all the charm and atmosphere of a superb log-effect fire with exceptionally realistic glow and gently dancing flames. It is available in both balanced flue and conventional flue versions. Add to this a choice of five colours, top or rear flue exits, natural gas or LPG variants and remote control options and you should be able to find the perfect stove for your home.

- All cast iron construction
- Realistic log-effect fire
- Conventional and balanced flue versions
- Colour matched enamel
- flue pipe also available
- Optional remote controls
- Maximum heat output: 5.3kW
- Piezo ignition system requires no electricity supply
- LPG and Natural Gas versions available
- Automatic safety shutdown in the event of pilot light failure or flue blockage
- Top or rear flue exit
- Flue diameter: 125mm (CF) / 152mm (BF)
- Weight: 74kg (CF) / 81.5kg (BF)

PRODUCT CODES

425 CONVENTIONAL FLUE

Natural Gas	LPG
DV-425CFNG	DV-425CF LPG
DV-425CFNGIV	DV-425CF LPGIV
DV-425CFNGGR	DV-425CF LPGGR
DV-425CFNGBK	DV-425CF LPGBK
DV-425CFNGBL	DV-425CF LPGBL

425 BALANCED FLUE

Natural Gas	LPG	
DV-425BFNG	DV-425BF LPG	Matt black, log-effect fire
DV-425BFNGIV	DV-425BF LPGIV	Ivory enamel, log-effect fire
DV-425BFNGGR	DV-425BF LPGGR	Forest green enamel, log-effect fire
DV-425BFNGBK	DV-425BF LPGBK	Black enamel, log-effect fire
DV-425BFNGBL	DV-425BF LPGBL	Midnight blue enamel, log-effect fire

HEAT OUTPUT

425 CONVENTIONAL FLUE

Energy Input: Nat. Gas: 6.6kW, LPG: 6.4kW
Heat Output: Nat. Gas: 5.3kW, LPG: 5.1kW

425 BALANCED FLUE

Energy Input: Nat. Gas: 6.45kW, LPG: 6.1kW
Heat Output: Nat. Gas: 5.3kW, LPG: 5.0kW



OPTIONAL REMOTE CONTROLS†

DV-8455: Standard
DV-8456: Programmable

† Once the pilot has been ignited manually, the Standard remote control allows you to vary the flame height and heat output from your armchair. The Programmable version also enables you to set the stove to switch itself on and off twice a day, to the temperature you select, so that you can wake up or come home to a cosy room and glowing fire.

FINISHES

Traditional matt black



Ivory enamel



Midnight blue enamel



Dovre 425 Electric in traditional matt black

425 ELECTRIC STOVES

Instant glow, instant flames and instant heat, that's the promise of the impressive new 425 Electric. You can select from 5 different flame speeds and 5 different glow settings to provide your ideal style of fire. There are even reflective sides to ensure the flames appear realistic from all angles so - whether you use the built-in fan heater or not - you can enjoy a perfect picture of warmth at anytime.

- All cast iron construction
- Exceptionally realistic log-effect with hand painted fuel bed and logs
- Choose any combination of 5 glow and 5 flame speed settings
- Discreetly concealed fan heater with 1kW and 2kW settings
- All functions operated from remote control so no bending
- Requires no flue, hearth or chimney
- Plugs into standard 13amp socket
- Safe to use in most locations around the home or conservatory
- Can be moved from room to room
- Weight: 74kg

PRODUCT CODES

DV-425E	Matt black, log-effect fire
DV-425EBL	Midnight blue enamel, log-effect fire
DV-425EIV	Ivory enamel, log-effect fire



Dovre 425 Electric in traditional matt black

TRADITIONAL STOVES



Dovre 500 with clear door

FINISHES

Traditional matt black



Dovre 500CB woodburner with lattice door

500 MULTI-FUEL STOVES

✓ APPROVED FOR SMOKE
CONTROL AREAS

The Dovre 500 is a masterpiece of casting proficiency and up-to-date technology. Not only does it offer classic stove appeal but it also features a separate ashpan door, for easier removal of ash, and a choice of six different versions. The multi-fuel model is available with either a fixed grate or a riddling grate, and has the further option of clear or lattice doors. The woodburner, on the other hand, incorporates a special cleanburn system that is so effective it has been approved by the Department of the Environment for use in smoke control areas. It, too, has the option of a lattice door.

- All cast iron construction ■
- Woodburning or multi-fuel versions ■
- Airwash system ■
- DV-500CBW and DV-500CBWL ■
- approved for Smoke Control Areas
- Colour matched enamel ■
- flue pipe also available
- Maximum heat output: 8kW ■
- High efficiency: up to 79% ■
- Top or rear flue exit ■
- Flue diameter: 150mm ■
- Weight: 118 - 124kg ■

PRODUCT CODES

DV-500CBW	Matt black woodburner with cleanburn - clear door
DV-500CBWL	Matt black woodburner with cleanburn - lattice door
DV-500MFF	Matt black multi-fuel with fixed grate and airwash system - clear door
DV-500MFFL	Matt black multi-fuel with fixed grate and airwash system - lattice door
DV-500MFR	Matt black multi-fuel with riddling grate and airwash system - clear door
DV-500MFRL	Matt black multi-fuel with riddling grate and airwash system - lattice door



All controls are cleverly hidden behind the ashpan door

FINISHES

Traditional matt black



Dovre 500 Electric with clear door

500 ELECTRIC STOVES

No fuel to store, no cleaning out needed, just the enjoyment of a glowing coal-effect fire and flickering flames. A 2kW fan-assisted heater built into the base of the Dovre 500 Electric provides plenty of warmth whilst requiring no chimney. This means the stove can be sited anywhere there is a suitable wall socket and it can even be moved from room to room. So you can now have a real stove anywhere.

- All cast iron construction
- Superior fire effect with glowing coals and flickering flames
- Fire effect can be used independently of heating
- Safe to use in most locations around the home or conservatory
- Can be moved from room to room
- Requires no flue, hearth or chimney
- 1kW or 2kW fan-assisted output from cleverly concealed heater
- Plugs into standard 13 amp socket
- Choice of plain or lattice door
- Weight: 70kg

PRODUCT CODES

DV-500EP	Matt black with clear door
DV-500EL	Matt black with lattice door



Dovre 500 Electric with lattice door

TRADITIONAL STOVES



Dovre 555 multi-fuel stove

FINISHES

Traditional matt black



Dovre 555 multi-fuel stove

555

MULTI-FUEL STOVE

A truly flexible choice as a medium sized stove, the Dovre 555 comes complete with a fixed grate for burning smokeless fuel or coal, yet can burn wood with equal proficiency. The design also includes adjustable leg height to suit different openings and aid installation and there is even a side loading door to allow the fuelling of logs up to 44cm long.

- All cast iron construction ■
- Multi-fuel operation ■
- Cleanburn and airwash systems ■
- Maximum heat output: 8kW ■
- High efficiency: up to 79% ■
- Top or rear flue exit ■
- Flue diameter: 150mm ■
- Weight: 140kg ■

PRODUCT CODES

DV-555

Matt black multi-fuel with cleanburn and airwash



FINISHES

Traditional matt black



640CB

WOOD STOVE

This well-proportioned stove features a side loading door as well as a front glass door and separate ashpan door. The side door allows logs of up to 50cm in length to be loaded into the stove so that less sawing is required when owners are providing their own timber. There is also a cleanburn system for improved fuel efficiency, an airwash system to help keep the door glass clean and a choice of top or rear flue outlets.

- All cast iron construction ■
- Woodburner ■
- Cleanburn and airwash systems ■
- Side door for loading ■
- Maximum heat output: 9kW ■
- High efficiency: up to 79% ■
- Top or rear flue exit ■
- Flue diameter: 150mm ■
- Weight: 158kg ■

PRODUCT CODES

DV-640CBW Matt black woodburner with cleanburn and airwash



Dovre 640CB woodburning stove

TRADITIONAL STOVES



Dovre 700CBW

FINISHES

Traditional matt black



Dovre 700MFF

700

MULTI-FUEL & WOOD STOVES

✓ APPROVED FOR SMOKE CONTROL AREAS

Like the woodburning version of the Dovre 500, the larger 700CBW also incorporates special cleanburn technology that is so efficient the Department of the Environment has approved it for use in smoke control areas. There is also an airwash system to help keep the panoramic window clean.

Alternatively, you can select the 700 multi-fuel. This model has a fixed grate that is perfect for burning smokeless fuels, peat or logs and also includes Dovre's airwash system to ensure you enjoy the best possible view of your fire, as well as a useful side door for the loading of longer logs.

- All cast iron construction ■
- Woodburning or multi-fuel versions ■
- Airwash system ■
- DV-700CBW approved for Smoke Control Areas ■
- Maximum heat output: 11kW (CBW) / 12kW (MFF) ■
- Top or rear flue exit ■
- Flue diameter: 150mm ■
- Weight: 180kg (CBW) / 175kg (MFF) ■

PRODUCT CODES

DV-700CBW
DV-700MFF

Matt black woodburner with cleanburn and airwash
Matt black multi-fuel with fixed grate and airwash system



FINISHES

Traditional matt black



Dovre 760CB

760CB

WOOD STOVE

Big brother to the Dovre 640CB, the 760CB is a truly impressive stove. It features cleanburn, an airwash system, a side loading door as well as a glass front door, separate ashpan door and up to 11kW of heat. The side door allows logs of up to 52cm to be loaded – so there is less sawing if you are using your own wood.

- All cast iron construction ■
- Woodburner ■
- Cleanburn and airwash systems ■
- Side door for loading ■
- Maximum heat output: 11kW ■
- High efficiency: up to 75% ■
- Top or rear flue exit ■
- Flue diameter: 150mm ■
- Weight: 180kg ■

PRODUCT CODES

DV-760CBW Matt black woodburner with cleanburn and airwash



ASTROLINE CONTEMPORARY STOVES



Astroline 1CB

FINISHES

Anthracite



1CB

ASTROLINE 1 WOOD STOVE

With superb modern styling, the Astroline 1CB takes the design of cast iron stoves into the 21st Century. The high elevations not only represent a style statement but they also permit extra heating capacity, as logs up to 37.5cm in length can be positioned in a 'wigwam' shape and provide up to 10kW of warmth; ideal for larger, open plan living spaces.

Further, the Astroline 1CB features all of Dovre's latest cleanburn technology, including a secondary combustion system to reduce soot emissions and to improve fuel efficiency, whilst a powerful airwash system helps to keep the huge ceramic glass panel clean. Together, they create exceptional flames and a wonderful view of the fire.

- All cast iron construction ■
- Woodburner ■
- Cleanburn and airwash systems ■
- Maximum heat output: 10kW ■
- High efficiency: up to 78% ■
- Top or rear flue exit ■
- Flue diameter: 150mm ■
- Weight: 140kg ■

PRODUCT CODES

- DV-ASTBLK Anthracite woodburner with anthracite side panels, cleanburn and airwash system



FINISHES

Anthracite



Astroline 2CB

2CB

ASTROLINE 2 WOOD STOVE

Smaller sister to the Astroline 1CB and with similar contemporary styling, the Astroline 2CB features the latest cleanburn and airwash technology for impressive heating performance and efficiency. The large ceramic glass panel also provides the superb views and comforting ambience that only a real log fire can bring.

- All cast iron construction ■
- Woodburner ■
- Cleanburn and airwash systems ■
- Maximum heat output: 8kW ■
- High efficiency: up to 78% ■
- Top or rear flue exit ■
- Flue diameter: 150mm ■
- Weight: 140kg ■

PRODUCT CODES

DV-AST2BLK Anthracite woodburner with anthracite side panels, cleanburn and airwash system



Astroline 2CB



Astroline 3CB with wood store



FINISHES

Anthracite



Astroline 3CB with pedestal

3CB

ASTROLINE 3 MULTI-FUEL & WOOD STOVES

With sleek and contemporary styling, Dovre's new Astroline 3 not only offers you an exceptional view of the fire but also a choice of two distinctive variants as well as either woodburning or multi-fuel versions of each. The state-of-the-art cleanburn combustion system provides stunning flames within the firebox and these can be seen from more than 180° thanks to the angled glass side panels and the large main window. Combustion and efficiency is also aided by an outside air connection which can reduce draughts within your room.

Choose from the Astroline 3CB with a pedestal or, alternatively, the design with a 'wood store' base.

- All cast iron construction ■
- Woodburning or multi-fuel versions ■
- Cleanburn and Airwash systems ■
- Outside combustion air facility ■
- Maximum heat output: 10kW ■
- High efficiency: up to 75% ■
- Top or rear flue exit ■
- Flue diameter: 150mm ■
- Weight: 158 - 171kg ■

PRODUCT CODES

- | | |
|----------------|---|
| DV-ASTRO3CB/P | Anthracite woodburner with pedestal base, cleanburn and outside combustion air connection |
| DV-ASTRO3CB/WB | Anthracite woodburner with wood store base, cleanburn and outside combustion air connection |
| DV-ASTRO3MF/P | Anthracite multi-fuel with pedestal base, riddling grate, cleanburn and outside combustion air connection |
| DV-ASTRO3MF/WB | Anthracite multi-fuel with wood store base, riddling, cleanburn and outside combustion air connection |

FINISHES

Anthracite



Astroline 4CB with pedestal

4CB

ASTROLINE 4 MULTI-FUEL & WOOD STOVES

Similar in looks to the Astroline 3CB, this model is also available in either woodburning or multi-fuel versions and with a choice of pedestal or wood store bases.

Featuring an extensive front window and glass side panels, you are able to enjoy to the full the exceptional swirling flames produced by Dovre's very latest cleanburn system. An external combustion air facility also helps to reduce draughts in the room as well as improve heating efficiency – and with up to 10kW of warmth that's a very cosy thought for any winter's night!

- All cast iron construction ■
- Woodburning or multi-fuel versions ■
- Cleanburn and Airwash systems ■
- Outside combustion air facility ■
- Maximum heat output: 10kW ■
- High efficiency: up to 75% ■
- Top or rear flue exit ■
- Flue diameter: 150mm ■
- Weight: 168 - 181kg ■

PRODUCT CODES

- | | |
|----------------|---|
| DV-ASTRO4CB/P | Anthracite woodburner with pedestal base, cleanburn and outside combustion air connection |
| DV-ASTRO4CB/WB | Anthracite woodburner with wood store base, cleanburn and outside combustion air connection |
| DV-ASTRO4MF/P | Anthracite multi-fuel with pedestal base, riddling grate, cleanburn and outside combustion air connection |
| DV-ASTRO4MF/WB | Anthracite multi-fuel with wood store base, riddling, cleanburn and outside combustion air connection |



Astroline 4CB with wood store

ASTROLINE CONTEMPORARY STOVES



Astroline 350CB

FINISHES

Anthracite



Astroline 350CB-3

350CB

ASTROLINE WOOD STOVES

Designed to complement the most modern architecture and interior design, the Astroline 350CB brings its own unique style to the traditional world of stoves. The large flame view area, particularly on the version that has glass side panels, and sophisticated cleanburn will provide you with the home heating pleasure for which Dovre is famed.

- All cast iron construction ■
- Woodburner ■
- Cleanburn and airwash systems ■
- Maximum heat output: 6kW ■
- High efficiency: up to 81% ■
- Top or rear flue exit ■
- Flue diameter: 125mm ■
- Weight: 110kg ■

PRODUCT CODES - ASTROLINE 350CB

DV-350CBW Anthracite woodburner with cleanburn and airwash system

PRODUCT CODES - ASTROLINE 350CB/3

DV-350CB/3 Anthracite woodburner with glass side panels, cleanburn & airwash system



FINISHES

Anthracite



Astroline 360CB/3

360CB

ASTROLINE

WOOD STOVES

Wider than the Astroline 350CB, and with additional heating capacity, this superb stove also features Dovre's very latest cleanburn and airwash technology. So you will enjoy an impressive view of the flames - even more so with the 3 sided version - as well as all the comforts of a real fire.

- All cast iron construction ■
- Woodburner ■
- Cleanburn and airwash systems ■
- Maximum heat output: 8kW ■
- High efficiency: up to 74% ■
- Top or rear flue exit ■
- Flue diameter: 125mm ■
- Weight: 110kg ■

PRODUCT CODES - ASTROLINE 360CB

DV-360CBW Anthracite woodburner with cleanburn and airwash system

PRODUCT CODES - ASTROLINE 360CB/3

DV-360CB/3 Anthracite woodburner with glass side panels, cleanburn & airwash system



Astroline 360CB

CASSETTE FIREPLACES



Dovre 2510 cassette fire



FINISHES



Anthracite



2510 DOUBLE-SIDED CASSETTE FIRE

This superb cassette is a dedicated double-sided design that is ideal for new build and major renovation projects. It offers both excellent heating capacity (complete with thermostat and integral fan unit for quicker warming of the room) and great views of the fire to adjacent rooms using a central flue. The 2510 can burn wood or smokeless fuels and produces up to 9kW of heat.

- All cast iron construction
- Woodburner with multi-fuel option
- Fan-assisted double-sided cassette with thermostatic control
- Maximum heat output: 9kW
- High efficiency: up to 78%
- Flue diameter: 150mm
- Weight: 170kg

PRODUCT CODES

DV-2510DSMF	Anthracite woodburner with fan-assisted air circulation
DV-K.10.25D/3	Optional 3 sided frame
DV-K.10.25D/4	Optional 4 sided frame
DV-K2100	Optional multi-fuel basket

Note: a standard 13amp domestic electricity supply is also required for this appliance to power the built-in electric fan.

FINISHES



Traditional matt black



2520

CASSETTE FIRE

This large bow-fronted cassette features a sophisticated airwash system to ensure you enjoy a superbly panoramic view of the fire. Although a dedicated woodburner, the multi-fuel basket option also allows you to burn smokeless fuels should you wish. Whichever your preference, the 2520 will heat your room with a gentle stream of warm convected air or, by using the integral electric fans, a powerful flow of thermostatically-controlled heat.

- All cast iron construction
- Woodburner with multi-fuel option
- Cleanburn and airwash systems
- Fan-assisted convection system with thermostatic control
- Suitable for use with a room heating convection system
- Maximum heat output: 11kW
- High efficiency: up to 80%
- Flue diameter: 150mm
- Weight: 190kg

PRODUCT CODES

DV-2520BS	Matt black woodburner with convection system and airwash system
DV-K20.25/3	Optional 3-sided frame
DV-K2100	Optional multi-fuel basket

Note: a standard 13amp domestic electricity supply is also required for this appliance to power the built-in electric fan.





The 2520 cassette fire is shown left with optional 3-sided frame



Dovre 1800 fireplace with optional canopy, plinth and side panels



FINISHES



Traditional matt black



1800 FIREPLACE

For smaller fireplaces and rooms, the Dovre 1800 has all the advantages of larger models, including high efficiency and excellent heat output, but with more compact dimensions. The 1800 is also offered with a choice of accessories to help you create your own individual fireplace setting.

- All cast iron construction
- Multi-fuel
- Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace
- Suitable for use with a room heating convection system
- Maximum heat output: 8kW
- High efficiency: up to 80%
- Flue diameter: 150mm
- Weight: 75kg

PRODUCT CODES

DV-1800W

Matt black multi-fuel

Accessories

For canopies, base plinths and side panels, see pages 60 & 61

FINISHES



Traditional matt black



2000 FIREPLACE

Complete with integral riddling grate, the Dovre 2000 fireplace has been designed to burn wood or a variety of smokeless fuels. It also has the option of a back boiler that can provide hot water when the fire is being used.

- All cast iron construction
- Multi-fuel
- Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace
- Suitable for use with a room heating convection system
- Maximum heat output: 11kW
- High efficiency: up to 71%
- Flue diameter: 186mm
- Weight: 165kg

PRODUCT CODES

DV-2000MFR	Matt black multi-fuel
Accessories	For canopies, base plinths and side panels, see pages 60 & 61
DV-DGBS2	Optional back boiler (1.5kW)





Dovre 2000 fireplace with optional canopy and side panels

INSERT CANOPIED FIREPLACES



Dovre 2300CB fireplace with optional canopy, plinth and side panels



FINISHES



Traditional matt black



Dovre 2300CB as a built-in fireplace

2300CB FIREPLACE

As a dedicated woodburner the Dovre 2300CB is equally at home as a built-in fireplace with a sophisticated convection system or in a dramatic inglenook. Open the doors and enjoy the full ambience of a real fire, close the doors and a sophisticated airwash system keeps the glass cleaner for a full view of the fire. With these features and the inclusion of an aerated baffle for greater efficiency and lower emissions, the 2300CB takes crackling log fires into a new era.

- All cast iron construction
- Cleanburn woodburner
- Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace
- Suitable for use with a room heating convection system
- Maximum heat output: 9kW
- High efficiency: up to 77%
- Flue diameter: 186mm
- Weight: 150kg

PRODUCT CODES

DV-2300W

Matt black woodburner with cleanburn and airwash system

Accessories

For canopies, base plinths and side panels, see pages 60 & 61

FINISHES



Traditional matt black



Dovre 2400CB showing impressive Panorama door

2400CB FIREPLACE

This model can either be built in to a fireplace or combined with an optional canopy to create a stunning centrepiece for large fireplace openings and inglenooks. With a 9kW capacity and suitable for wood and smokeless fuels, the 2400CB incorporates a state-of-the-art cleanburn system and is offered in either standard or Panorama versions. The standard model features bi-fold doors with 4 windows whilst the Panorama has a single door with a large, elegantly curved window for maximum view of your fire.

- All cast iron construction
- Cleanburn woodburner
- Suitable for use in smaller inglenooks (with optional steel canopy and side panels) or as a built-in fireplace
- Maximum heat output: 9kW
- High efficiency: up to 72%
- Flue diameter: 188mm
- Weight: 130kg

PRODUCT CODES

- DV-2400CB Matt black woodburner with cleanburn, airwash and bi-fold doors
DV-2400CBPAN Matt black woodburner with cleanburn, airwash and Panorama door
Accessories For canopy and side panels see pages 60 & 61.





Dovre 2400CB with optional canopy and bi-fold doors



Dovre 2700 fireplace with optional canopy and side panels



FINISHES



Traditional matt black

Dovre 2700 built into a fireplace



2700 FIREPLACE

Whether you install the 2700 a part of an inglenook setting or build it into a fireplace this classic Dovre model allows you to enjoy all the character of a real fire with the doors open, or a slower, more efficient combustion with the doors closed. Inserted into a fireplace setting, you can even use the special convection chamber to duct warm air to outlet grilles above the fireplace or even distribute it to other parts of your home.

- All cast iron construction
- Woodburner
- Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace
- Suitable for use with a room heating convection system
- Maximum heat output: 10kW
- High efficiency: up to 77%
- Flue diameter: 186mm
- Weight: 135kg

PRODUCT CODES

DV-2700W

Matt black woodburner with airwash system

Accessories

For canopies, base plinths and side panels see pages 60 & 61

FINISHES



Anthracite



2900

FIREPLACE

A high efficiency, woodburning fireplace with an impressively large door giving a superb view of the fire. The 'guillotine' style door glides up and down on a counterbalanced system for easy loading of the fuel. Whilst the 2900 produces up to 12kW of radiated heat, the skilful design also incorporates an Air Convection Chamber which allows you to duct warm air to other parts of the room or to adjacent living spaces.


- All cast iron construction
- Woodburner
- Built-in fireplace with the option of a room heating convection system
- Maximum heat output: 12kW
- High efficiency: up to 65%
- Flue diameter: 200mm
- Weight: 225kg

PRODUCT CODES

DV-2900RGDC Anthracite woodburner with airwash

DV-K29/4COMP Optional 4-sided frame

NB This fireplace needs to be built into an existing chimney breast or a false stud wall and will generally need structural work. Please contact your Dovre retailer for further installation details.



2900 fireplace with guillotine door and optional 4-sided frame



INSERT CANOPIED FIREPLACES



Dovre 1800NG with optional canopy and side panels



FINISHES



Traditional matt black



1800

GAS FIREPLACE

Whether built-in as part of a conventional fireplace or combined with one of Dovre's canopies to create an impressive inglenook setting, this superb fireplace offers traditional style and atmosphere with the convenience of gas. The turn of a switch is all you need to enjoy a blazing, realistic-looking fire of logs and coals. The gas fires can also be purchased separately to allow you to convert an existing Dovre fireplace from woodburning to gas.

- All cast iron construction
- For use with a conventional chimney/flue system
- Piezo ignition system requires no electricity supply
- Whisper-quiet burners with adjustable heat output
- Mixed log and coal-effect fire for a realistic flame pattern
- Natural gas and LPG versions available
- Automatic safety shutdown in the event of pilot light failure or flue blockage
- Full range of accessories including canopies, base plinths and side panel units. See pages 62 and 63
- Energy input: Nat. Gas: 10.5kW / LPG:10.5kW
- Maximum heat output: 2.5kW
- Flue diameter: 150mm
- Weight: 75kg

PRODUCT CODES

DV-1800NG Matt black fireplace with mixed coal/log-effect natural gas fire

DV-1800LPG Matt black fireplace with mixed coal/log-effect LPG fire

Accessories For canopies, base plinths and side panels see pages 60 & 61

DV-1800PLUSNG Natural gas mixed coal and log-effect fire conversion kit only

DV-1800PLUSLPG LPG mixed coal and log-effect fire conversion kit only

FINISHES



Anthracite



2700 GAS FIREPLACE

Enjoy all the convenience of a realistic gas fire with the traditional characteristics of a built-in or canopied fireplace in the excellent 2700 Gas. The fireplace itself boasts an all cast iron construction for authenticity and longevity whilst the mixed coal and log-effect gas fire creates the cosy glow, flickering flames and comforting warmth you would expect from genuine 'real fire' ambience. Heat output is adjustable up to 3.5kW.

- All cast iron construction
- For use with a conventional chimney/flue system
- Piezo ignition system requires no electricity supply
- Whisper-quiet burners with adjustable heat output
- Mixed log and coal-effect fire for a realistic flame pattern
- Natural gas and LPG versions available
- Automatic safety shutdown in the event of pilot light failure or flue blockage
- Full range of accessories including canopies, base plinths and side panel units. See pages 62 and 63
- Energy input: Nat. Gas: 16.5kW / LPG:15kW
- Maximum heat output: 3.5kW
- Flue diameter: 200mm
- Weight: 165kg

PRODUCT CODES

DV-2700NG	Matt black fireplace with mixed coal/log-effect natural gas fire
DV-2700LPG	Matt black fireplace with mixed coal/log-effect LPG fire
Accessories	For canopies, base plinths and side panels see pages 60 & 61
DV-2000PLUSNG	Natural gas mixed coal and log-effect fire conversion kit only
DV-2000PLUSLPG	LPG mixed coal and log-effect fire conversion kit only




Dovre 2700NG with optional canopy, plinth and side panels



CANOPIES PLINTHS AND SIDE PANELS

Our range of canopies, plinths and side panels has been specially designed to complement Dovre appliances whether installed freestanding in an inglenook or a recessed fireplace. They are manufactured to the highest standards and help ensure a lifetime of fireside pleasure.



INGLENOOK CANOPIES with black studs

Non-standard heights available to special order. Please allow 3-4 weeks for delivery.

1800 FIREPLACE

CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CM1	Small 1800 Canopy	325	530	260	310	145
DV-CM2	Medium 1800 Canopy	700	685	260	460	235
DV-CM3	Tall 1800 Canopy	950	685	230	460	235

2000 & 2700 FIREPLACES

CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CS1	Small 2700 Canopy	360	710	410	400	260
DV-CS2	Medium 2000/2700 Canopy	685	900	350	570	300
DV-CS3	Tall 2000/2700 Canopy	1070	900	300	560	290

'COUNTRYMAN' FOR 2000 & 2700 FIREPLACES

The Traditional 'olde worlde' styled canopy with heavy, more rugged, black studded strap trim

CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CS5	Countryman Canopy	1070	900	300	560	290


2300CB FIREPLACES

CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CCB	Tall 2300 Canopy	835	820	260	490	235

2400 FIREPLACE

CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CC1	2400 Canopy	805	755	300	535	260

All dimensions are quoted in millimetres



1800, 2000, 2400 & 2700 FIREPLACES

PLINTH

Designed to improve convection on appliances used in freestanding installations, base plinths will also enhance the visual appearance of your fireplace

CODE	DESCRIPTION	HEIGHT	WIDTH	DEPTH
DV-MBP	1800 Base Plinth (Black)	80	510	315
DV-SBP	2000/2700 Base Plinth (Black)	80	725	485

SIDE PANEL UNITS

For use with freestanding type installations where the sides of the appliance may be exposed to view, for example with an extra wide inglenook.

CODE	DESCRIPTION	HEIGHT	WIDTH	DEPTH
DV-SP1	1800 Side Panel Unit (Black)	470	530	290
DV-SP2	2700 Side Panel Unit (Black)	740	720	400
DV-SP3	2000 Side Panel Unit (Black)	780	720	350
DV-SP5	2400 Side Panel Unit (Black)	520	635	400

FLUE ADAPTORS

CODE	DESCRIPTION	FLUE PIPE DIAMETER
DV-MFA	1800 Flue Adaptor	5 1/4" - 6" (134 - 153)
DV-SFA	2000/2700 Flue Adaptor	7 1/4" - 8" (185 - 204)

2300CB FIREPLACES

PLINTH, SIDE PANEL & FLUE ADAPTOR

CODE	DESCRIPTION	HEIGHT	WIDTH	DEPTH
DV-SP2300	Side Panel and Base Plinth kit for 2300CB (Black)	520	670	535
DV-CFA	Flue Adaptor		7 1/4" - 8" (185 - 204)	

All dimensions are quoted in millimetres

FLUE PIPE

MATCHING ENAMELLED FLUE PIPE

For the fully colour co-ordinated installation of your stove, and optimum performance, we offer high quality enamel coloured flue pipe. However, please note that due to the different production processes we cannot guarantee a perfect match between pipe and stove.

The flue pipe diameters required for each model are given on each of the product pages.



	BLACK ENAMEL	MIDNIGHT BLUE ENAMEL	FOREST GREEN ENAMEL	IVORY ENAMEL
127mm diameter				
305mm (1') straight without door	DV-F512BLK	DV-F512BL	DV-F512GR	DV-F512IV
610mm (2') straight without door	DV-F524BLK	DV-F524BL	DV-F524GR	DV-F524IV
915mm (3') straight without door	DV-F536BLK	DV-F536BL	DV-F536 GR	DV-F536IV
915mm (3') straight with door	DV-FD536BLK	DV-FD536BL	DV-FD536GR	DV-FD536IV
90° bend without door	DV-FE590BLK	DV-FE590BL	DV-FE590GR	DV-FE590IV
135° bend with door	DV-FED545BLK	DV-FED545BL	DV-FED545GR	DV-FED545IV
Tee + end cap	DV-FT5BLK	-	-	-
125mm - 150mm increaser	DV-F5-6INCBLK	-	-	-
152mm diameter				
305mm (1') straight without door	DV-F612BLK	DV-F612BL	DV-F612GR	DV-F612IV
610mm (2') straight without door	DV-F624BLK	DV-F624BL	DV-F624GR	DV-F624IV
915mm (3') straight without door	DV-F636BLK	DV-F636BL	DV-F636GR	DV-F636IV
915mm (3') straight with door	DV-FD636BLK	DV-FD636BL	DV-FD636GR	DV-FD636IV
90° bend without door	DV-FE690BLK	DV-FE690BL	DV-FE690GR	DV-FE690BL
135° bend without door	DV-FE645BLK	DV-FE645BL	DV-FE645GR	DV-FE645BL

ACCESSORIES & STOVE CARE



Care of your stove

To help you get the best performance from your stove and keep it in good condition, inside and out, Stovax (Dovre's distributor in the UK and Republic of Ireland) offers a wide range of cleaning and maintenance products. Stovax also supply a wide variety of fireplace accessories. Your Dovre retailer will be able to give you full details or you may view the complete range at www.stovax.com/accessories.


Product Improvement and Guarantee

Dovre reserves the right to amend any specifications herein or to make any product design changes. Please note that, due to studio lighting and the limitations of the printing process, colour reproduction of enamel finishes may vary from actual product. Please consult your Dovre retailer for more accurate colours.


Dovre products are guaranteed for two years from the date of purchase, with cast parts enjoying a five year guarantee. This guarantee excludes labour and all wearing parts such as glass and firebricks in the case of woodburning/multi-fuel stoves and thermocouples or lamps in the case of gas or electric stoves.

DIMENSIONS


p4/5 | 250 WOOD & MULTI-FUEL STOVES




p12/13 | 425 GAS STOVES




p6/7 | 280 GAS STOVES




p14/15 | 425 ELECTRIC STOVES




p8/9 | 280 ELECTRIC STOVES



p16/17 | 500 MULTI-FUEL STOVES



p10/11 | 425 MULTI-FUEL STOVES




*To end of rear flue spigot. Full installation instructions with information on balanced flue configurations are available from www.dovre.co.uk


CORRECT INSTALLATION

A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. You may view/download complete installation instructions from our website: www.dovre.co.uk


p18/19 | 500 ELECTRIC STOVES




p26/27 | 760CB WOOD STOVE




p20/21 | 555 MULTI-FUEL STOVE




p28/29 | ASTROLINE 1CB WOOD STOVE




p22/23 | 640CB WOOD STOVE




p30/31 | ASTROLINE 2CB WOOD STOVE



p24/25 | 700 MULTI-FUEL & WOOD STOVES




p32/33 | ASTROLINE 3CB MULTI-FUEL & WOOD STOVES




*To end of rear flue spigot. Full installation instructions with information on balanced flue configurations are available from www.dovre.co.uk

DIMENSIONS


p34/35 | ASTROLINE 4CB MULTI-FUEL & WOOD STOVES




p38/39 | ASTROLINE 360CB/3 WOOD STOVE




p36/37 | ASTROLINE 350CB WOOD STOVE




p40/41 | 2510 DOUBLE-SIDED CASSETTE FIRE




p36/37 | ASTROLINE 350CB/3 WOOD STOVE




p42/43 | 2520 CASSETTE FIRE



p38/39 | ASTROLINE 360CB WOOD STOVE




p44/45 | 1800 FIREPLACE*




CORRECT INSTALLATION

A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. You may view/download complete installation instructions from our website: www.dovre.co.uk


p46/47 | 2000 FIREPLACE*




p54/55 | 2900 FIREPLACE*




p48/49 | 2300CB FIREPLACE*




p56/57 | 1800 GAS FIREPLACE*




p50/51 | 2400CB FIREPLACE*



p58/59 | 2700 GAS FIREPLACE*



p52/53 | 2700 FIREPLACE*



* Legs shown on these models are for use only when building the appliance into a fireplace. They are not intended for freestanding applications such as inglenooks.



United Kingdom & Republic of Ireland
distributors for Dovre:

Stovax Limited

Falcon Road, Sowton Industrial Estate,
Exeter, Devon EX2 7LF

Solid Fuel Trade Sales tel: 01392 474000

Gas & Electric Trade Sales tel: 01392 261900

Other depts tel: 01392 474011

Fax: 01392 219932

E-mail: dovre@stovax.com

Internet: www.dovre.co.uk

Your local Dovre retailer:

£2.00

DOVRE0809

© All material copyright Stovax Ltd 2009 E & O E

Stovax gratefully acknowledges the assistance of the following companies with photographic settings:

Apple Conservatories - www.appleconservatories.com • Ashore - 01392 477763 • Debenhams - www.debenhams.com • Eclectique - www.eclectique.co.uk
Fagins Antiques - www.faginsantiques.com • Farmington Stone Fireplaces - www.farmington.co.uk • Furniture Village - www.furniturevillage.co.uk
Habitat - www.habitat.com • House of Fraser - www.houseoffraser.co.uk • Laura Ashley - www.lauraashley.com • Merchant House Antiques - www.merchanthouseantiques.co.uk
Orange Tree - www.theorangetree.co.uk • Original Style - www.originalstyle.com • St Bridget Nurseries - www.stbridgetnurseries.co.uk • Amos Lighting - www.amoslighting.co.uk

Paper sourced from sustainable forests and printed using vegetable based inks