

# Gas and Electric Stoves





# A warm welcome

Nothing creates an inviting atmosphere quite like a Gazco stove.

The centrepiece of any home, a Gazco stove adds warmth and character to a room or living space – even if you don't have a chimney!

Whether you want to achieve a minimalist, contemporary look, or have your heart set on a more traditional stove, this brochure will help you make the perfect choice, whatever your style or budget. From the highly efficient contemporary Gas Riva Vision Large stove with all its style and elegance, to the stunning cast iron detail on a more traditional Huntingdon stove, these innovative designs will provide warmth and character to any modern or traditional home.

There is also a new range of highly realistic, electric log-effect stoves featuring new VeriFlame™ technology. These electric stoves open up new possibilities such as conservatories, kitchens, dining rooms and bedrooms for you to have the warmth and character of a Gazco stove in your home.

Front Cover: Gas Stockton 5 with log-effect fire

**GAZCO**  
Fire Your Imagination

# Contents

Relax – it's a Gazco stove 4

## **Traditional Styles**

Gas and Electric Marlborough	6 - 9
Gas and Electric Stockton	10 - 15
Gas and Electric Huntingdon 30	16 - 19
Gas and Electric Clarendon	20 - 23
Gas and Electric Ashdon	24 - 29
Gas Brunel	30 - 31
Gas Regency	32 - 33

## **Contemporary Styles**

Gas Ceramica Manhattan	34 - 35
Gas and Electric Steel Manhattan	36 - 39
Gas Riva Vision Large	40 - 41
Gas Riva Vision Bench	42 - 43
Gas F67 Riva	44 - 45
Gas F67 Riva Bench & Pedestal	46 - 47
Gas F40 Avanti	48 - 49
Gas Riva Nemos	50 - 51

**Flue and Fuel Types** 52 - 53

**Additional Information** 54 - 55

**Stove Selector** 56 - 59

**Technical information** 60 - 69





# Relax — it's a Gazco stove

When you choose Gazco, quality and technology are assured. From traditional models to state-of-the-art designs, Gazco is committed to creating the ultimate flame-effect gas and electric stoves.



Our research and development laboratories are amongst the most advanced in the world, ensuring that the very latest innovations are incorporated into our appliances.

Gazco is an ISO9001 accredited company. Our rigorous quality control system ensures that all our appliances comply with British safety standards as well as stringent European regulations. All fires in this brochure are CE marked. This means they have been independently tested to exacting European standards for both heating efficiency and emissions.



## Selecting Your Stove

Before you choose your new stove you will need to know what type of chimney (if you have one) or flue you have. Please turn to pages 52-53 to identify your chimney or flue type.





## Expert retailer network

We take great care to ensure that our stoves are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational; discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design; and ensure that you select the most appropriate product for your home.

Our retailers will also be able to advise on or assist with the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Further, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.



# Gas Marlborough


Country or city, traditional or contemporary, the innovative Gas Marlborough has the flexibility to suit your lifestyle and your décor. It is available in three sizes and each has an extensive window area to allow you to enjoy the dancing flames and warm ambience of the coal or log-effect fires to the full.


Operation is simplicity itself too. There's Piezo ignition and a manual control to adjust the flame height and heat output. Choose Gazco's Command upgradable remote control and you can adjust the flames and heat from your armchair. Alternatively, opt for the deluxe Programmable upgradable remote control to set the stove to switch itself on and off and heat the room to the temperature you select.

## Colour Choice

Matt Black

## Heat Output

S: 1.95 - 3.60kW 

M: 2.50 - 5.28kW 

L: 3.10 - 7.25kW

## Efficiency

Conventional flue 78%

Balanced flue 82%

## Fuel Bed

Coals

Logs

## Command Controls

Manual

Standard upgradable

Programmable upgradable

## Chimney Types

**1** **2** **3** **BF** **PF**

(please see pages 52-53)



Large Gas Marlborough with coal-effect fire



Small Gas Marlborough with log-effect fire

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58 and 61*







# Electric Marlborough

Featuring the same distinctive styling as the Gas Marlborough, the two electric versions offer you an amazingly realistic log-effect fire at the touch of a button. At its heart is Gazco's unique VeriFlame™ technology which allows you to choose from two heat settings that can both be thermostatically controlled; three flame brightness levels, plus the additional option for a blue flame effect on the high setting so you can match your mood exactly. Furthermore, you can select fire effect only; fire effect + 1kw heat; and fire effect + 2kw heat according to your heating needs with full control\* from the remote to save you bending.


The Electric Marlborough simply plugs into a 13amp socket, so is particularly suited for conservatories or rooms without a chimney.


*\* The thermostat is controlled manually from the stove.*

## Colour Choice

Matt Black

## Heat Output

S: 1.00 - 2.00kW 

M: 1.00 - 2.00kW 

## Efficiency

99.8%

## Fuel Bed

Logs

## Command Controls

Remote as standard

## Chimney Types



No chimney required



Small Electric Marlborough

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-55, 59 and 61*









# Gas Stockton


Using cast iron for the door and heavy gauge steel for the body, Gas Stockton stoves combine simple, understated lines with Gazco's latest living flame technology.


This means you can enjoy an unrivalled coal or log-effect fire together with a heating performance that will keep your room really cosy on those cold winter evenings. In fact, you won't even have to move from your chair if you opt for one of our remote controls!

## Colour Choice

Matt Black

## Heat Output

S: 1.95 - 3.60kW 

M: 2.50 - 5.28kW 

## Efficiency

Conventional flue 78%

Balanced flue 82%

## Fuel Bed

Coals

Logs

## Command Controls

Manual

Standard upgradable

Programmable upgradable

## Chimney Types

(please see pages 52-53)



Small Gas Stockton with log-effect fire

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58 and 61*



Gas Stockton 5 with log-effect fire

# Gas Stockton 5

With authentic multi-fuel stove styling, right down to the hinged door with handle, the new Gas Stockton 5 is conveniently sized between the small and medium models featured on the previous page. So you have even more opportunity to suit your needs – and to enjoy all the enchantment of a real coal or log-effect fire.

Choose from manual or remote controls.

## Colour Choice

Matt Black

## Heat Output

1.95 - 3.40kW 

## Efficiency

Conventional flue 73%

Balanced flue 80%

## Fuel Bed

Coals

Logs

## Command Controls

Manual

Standard upgradable

Programmable upgradable

## Chimney Types

**1** **2** **BF**

(please see pages 52-53)

*\*Please note this is a viable installation in stone, but not suitable for combustible materials.*

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58 and 61*





Gas Stockton 5\* with coal-effect fire

# Electric Stockton



Electric Stockton Medium in Matt Black



Electric Stockton Small

Using the same cast iron door and heavy gauge steel body as the Gas Stocktons, the electric version combines the classic looks of a woodburning stove with the ease of Gazco's latest VeriFlame™ technology. This means you can enjoy two heat settings that can both be thermostatically controlled; three flame intensity levels, plus the additional option for a blue flame effect on the high setting to create a remarkably authentic log-effect fire - a superb focal point for any room. The fan heater is discreetly hidden beneath the stove with full control\* of both heat output and flame effect by remote control.


Choose from the Stockton Small, Stockton 5 or the Stockton Medium.

\* The thermostat is controlled manually from the stove.

## Colour Choice

Matt Black

## Heat Output

S: 1.00 - 2.00kW 

5: 1.00 - 2.00kW 

M: 1.00 - 2.00kW 

## Efficiency

99.8%

## Fuel Bed

Logs

## Command Controls

Remote as standard

## Chimney Types



No chimney required

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-55, 59 and 61*





Electric Stockton 5 in Matt Black





# Gas Huntingdon 30

A popular model in the Gazco range, the Gas Huntingdon 30 successfully combines refined styling with efficient heating technology. The Gas Huntingdon 30 is available in a choice of three high quality enamel colours as well as Matt Black. So there is a version of this authentic stove with beautiful tracery windows, that will fit right into your home.

Choose from manual or remote controls.

## Colour Choice

Matt Black  
Laurel Green  
Midnight Blue  
Ivory

## Heat Output

1.90 - 3.50kW 

## Efficiency

Conventional flue 78%  
Balanced flue 80%

## Fuel Bed

Coals  
Logs

## Command Controls

Manual  
Standard upgradable  
Programmable upgradable

## Chimney Types

**1** **2** **BF**

(please see pages 52-53)



Gas Huntingdon 30 in Ivory enamel  
with log-effect fire (also shown on page 71)



Gas Huntingdon 30 in Matt Black  
with log-effect fire

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58 and 62*

# Electric Huntingdon 30



Electric Huntingdon 30 in Laurel Green enamel



Electric Huntingdon 30 in Ivory enamel

The electric version of the ever popular Huntingdon 30.

The fine castings and beautiful tracery door of the stove are brought alive with Gazco's VeriFlame™ technology which provides you with two heat settings that can both be thermostatically controlled; three flame brightness levels, plus the additional option for a blue flame effect on the high setting. Your choice of fire is then set against the highly realistic fuel bed and individually hand painted 'logs', perfectly mirroring the look and atmosphere of a real woodburning stove.

Operation is simple too as the remote control\* not only allows selection of the flame and glow but also fire/heat combinations. These can be fire effect only; fire effect + 1kw heat; and fire effect + 2kw heat according to the amount of warmth required.

*\* The thermostat is controlled manually from the stove.*

## Colour Choice

Matt Black  
Laurel Green  
Midnight Blue  
Ivory

## Fuel Bed

Logs

## Command Controls

Remote as standard

## Heat Output

1.00 - 2.00kW 

## Chimney Types



No chimney required

## Efficiency

99.8%

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-55, 59 and 62*



Electric Huntingdon 30 in Matt Black

# Gas Clarendon

Superb heating efficiency, finely detailed castings, a real fire effect and choice of three sizes make the Gas Clarendon perfect for a wide variety of homes. Further, whilst the tracery of the standard window provides minimal obscuring of the flames, there are also 'clear glass' versions to attain the fullest possible view of the fire. The small and medium clear glass models are also available in two enamelled colours; Laurel Green and Midnight Blue.

According to size of model, the fires may be coal or log-effect. All feature a fully adjustable flame and heat setting whether you opt for manual controls, the Standard remote control or the Programmable remote control. Select the Programmable remote control and you can even set the stove to switch itself on and off twice a day and thermostatically maintain the temperature in your room.



Small Gas Clarendon in Midnight Blue enamel with clear glass and log-effect fire





Medium Gas Clarendon in Midnight Blue enamel with clear glass and log-effect fire

## Colour Choice

Matt Black  
Laurel Green (S & M)  
Midnight Blue (S & M)

## Heat Output

S: 1.95 - 3.60kW   
M: 2.50 - 5.28kW   
L: 3.10 - 7.25kW

## Efficiency

Conventional flue 78%  
Balanced flue 82%

## Sizes Available

Small  
Medium  
Large

## Fuel Bed

Coals  
Logs

## Command Controls

Manual  
Standard upgradable  
Programmable upgradable

## Chimney Types

(please see pages 52-53)

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58 and 63*





Medium Gas Clarendon in Matt Black with tracery door and log-effect fire

# Electric Clarendon



Authentic styling and elegant castings give the small and medium Clarendon all the character of a real stove but with the convenience of electricity. Simply plug in and switch on for Gazco's highly realistic log-effect fire, complete with your choice of three different brightness levels, including the additional option for a blue flame effect on the high setting, and two heat settings that can both be thermostatically controlled. Soothing comfort and instant controllable warmth.



Medium Electric Clarendon in Matt Black

The heater is discreetly located under the stove but, as heat outputs and VeriFlame™ effects can be controlled from the remote control\*, unnecessary crouching or stooping is avoided. Simply sit back and relax in your favourite chair!

\* The thermostat is controlled manually from the stove.

## Colour Choice

Matt Black  
Laurel Green  
Midnight Blue

## Heat Output

1.00 - 2.00kW 

## Efficiency

99.8%

## Sizes Available

Small  
Medium

## Fuel Bed

Logs

## Command Controls

Remote as standard

## Chimney Types



No chimney required



Small Electric Clarendon in Matt Black

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-55 and 63*





Small Electric Clarendon in Matt Black



# Gas Ashdon


Refinement and performance are very much the hallmarks of the Gas Ashdon. Its graceful lines and fine Gothic tracery window combined with the latest gas fire technology provide a superb focal point for your home.

There is a choice of traditional Matt Black, lustrous Midnight Blue, Laurel Green or Ivory enamel finishes; coal or log fuel beds; Standard upgradable and Programmable upgradable remote controls. In fact, all the features you would expect from this magnificent top-of-the-range stove.

## Colour Choice

Matt Black  
Laurel Green  
Midnight Blue  
Ivory

## Heat Output

2.50 - 5.28kW 

## Efficiency

Conventional flue 78%  
Balanced flue 82%

## Fuel Bed

Coals  
Logs

## Command Controls

Manual  
Standard upgradable  
Programmable upgradable

## Chimney Types

**1** **2** **BF** **PF**

(please see pages 52-53)



Gas Ashdon in Ivory enamel with log-effect fire



Gas Ashdon in Midnight Blue enamel with coal-effect fire

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58 and 64*





# Gas Ashdon


## Clear Door

For those who admire the fine lines and heating capacity of the Gas Ashdon, there is now the choice of a clear door version. Identical in performance and size to the Gas Ashdon, the clear door version is for those who crave the fullest possible flame picture without compromise.

### Colour Choice

Matt Black  
Laurel Green  
Midnight Blue  
Ivory

### Heat Output

2.50 - 5.28kW 

### Efficiency

Conventional flue 78%  
Balanced flue 82%

### Fuel Bed

Coals  
Logs

### Command Controls

Manual  
Standard upgradable  
Programmable upgradable

### Chimney Types

     
(please see pages 52-53)



Gas Ashdon with clear door in Laurel Green enamel and coal-effect fire



*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58 and 64*

# Electric Ashdon



Electric Ashdon in Laurel Green enamel

Gazco's most popular electric stove now features our new VeriFlame™ technology. It offers a superbly realistic log-effect fire with three different brightness intensities, the additional option for a blue flame effect on the high setting plus two heat settings that can both be thermostatically controlled. Quite simply, it means that you can enjoy all the ambience of a genuine cast iron wood burner with the convenience of a remote control\*.

From the hand painted fuel bed and logs to the lustrous enamel finishes, this stove exudes the style and quality to make an impressive focal point in any room or conservatory.

\* The thermostat is controlled manually from the stove.

## Colour Choice

Matt Black  
Laurel Green  
Midnight Blue  
Ivory

## Heat Output

1.00 - 2.00kW

## Efficiency

99.8%

## Fuel Bed

Logs

## Command Controls

Remote as standard

## Chimney Types



No chimney required

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-55, 59 and 64*







Electric Ashdon in Matt Black



Gas Brunel in Matt Black



# Gas Brunel

Ideal for the smaller room, this compact yet attractive cast iron stove can be mounted on an open hearth or fitted in front of a standard 22" (560mm) high fireplace opening. Whether you choose Matt Black, Midnight Blue enamel or Laurel Green enamel, there's a fully adjustable, authentic looking coal-effect fire providing warmth and comfort on demand.

## Colour Choice

Matt Black  
Laurel Green  
Midnight Blue

## Heat Output

1.56 - 3.50kW 

## Efficiency

78%

## Fuel Bed

Coals

## Command Controls

Manual

## Chimney Types

**1** **2** **3**

(please see pages 52-53)

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58 and 65*





Gas Brunel in Midnight Blue enamel, shown in Stovax Small Kensington mantel







# Gas Regency

This traditional cast iron stove, originally patented by Benjamin Franklin in 1742, has been updated for the 21st Century with Gazco's impressively realistic open gas fire. In addition to being able to adjust the flame height and heat output, this model includes a variable flame control to allow you to select your preferred flame type – a gentle glow or flickering flames.

There are two sizes of Gas Regency. Each is supplied with a pair of brass ball finials plus you can also add an optional set of brass rails if you wish, enhancing the classic styling still further.

## Colour Choice

Matt Black

## Heat Output

S: 0.95 - 2.75kW

M: 1.30 - 3.25kW

## Fuel Bed

Coals

## Command Controls

Manual

## Chimney Types

1

(please see pages 52-53)



Medium Gas Regency with optional rail-set



*For complete model choices, specifications and additional information please see pages 52-58 and 65*





# Gas Ceramica Manhattan


With its superb contemporary styling and sturdy ceramic panelling, the Manhattan brings a colourful new dimension to home heating. At its centre is a finely detailed, cast iron frame surrounding a panoramic window that allows you to enjoy to the full a realistic picture of dancing flames and glowing coals or logs. To complete the look, a cast iron top grille permits warm, convected air to flow gently into the room.

Choose from manual or remote controls.

## Colour Choice

Matt Beige

## Heat Output

2.50 - 5.28kW 

## Efficiency

Conventional flue 78%

Balanced flue 82%

## Fuel Bed

Coals

Logs

## Command Controls

Manual

Standard upgradable

Programmable upgradable

## Chimney Types

**1** **2** **BF** **PF**

(please see pages 52-53)



*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58 and 66*







# Gas Steel Manhattan

With similar styling to the Ceramica Manhattan, the steel versions offer you even more opportunities to co-ordinate with today's contemporary décors, room sizes and furnishings, especially as there are two sizes and each is available in a choice of two finishes.

Whichever way you look at the Steel Manhattan, as a piece of furniture or as a heating appliance, this precision-engineered gas stove provides an outstanding focal point for any room.

## Colour Choice

Anthracite  
Brushed Stainless Steel

## Heat Output

S: 1.76 - 2.85kW 

M: 2.50 - 5.28kW 

## Efficiency

Conventional flue 78%

Balanced flue 82%

## Fuel Bed

Coals  
Logs

## Command Controls

Manual  
Standard upgradable  
Programmable upgradable

## Chimney Types

**1** **2** **BF** **PF**

(please see pages 52-53)



Small Gas Steel Manhattan in Brushed Stainless Steel with log-effect fire



Medium Gas Steel Manhattan in Anthracite with coal-effect fire

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58 and 66*

# Electric Steel Manhattan



Small Electric Steel Manhattan in Anthracite



Contemporary, convenient and comforting, the small and medium Electric Steel Manhattan provide clean lines, a highly realistic log-effect fire and up to 2kW of heat at the press of a button on the remote control\*.


Both versions incorporate Gazco's VeriFlame™ technology which offers you three different glow intensities with the additional option of a blue flame effect on the high setting. For the ultimate in cozy warmth, there are two heat settings that can both be thermostatically controlled from the heater that is discreetly concealed beneath the stove. There is also a choice of modern finishes to blend with a wide range of interiors.


\* The thermostat is controlled manually from the stove.

## Colour Choice

Anthracite  
Brushed Stainless Steel

## Heat Output

S: 1.00 - 2.00kW 

M: 1.00 - 2.00kW 

## Efficiency

99.8%

## Fuel Bed

Logs

## Command Controls

Remote as standard

## Chimney Types



No chimney required

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-55, 59 and 66*









# Gas Riva Vision Large

Sporting an eye-catching glass-fronted door and integral glass plinth, the high quality Gas Riva Vision Large is a sparkling new addition to the Gazco ranges. Available with your choice of either white stone or realistic log-effect fuel beds and versions for both conventional and balanced flue installations, the high efficiency Gas Riva Vision Large even comes complete with fully programmable Sequential remote. This gives you complete control, allowing full operation from ignition to extinguish including thermostatic and timer controls, all from the comfort of your sofa.

To further increase your interior design possibilities, why not also opt for a contemporary gloss flue pipe (conventional flue only) - the perfect complement to this stylish freestanding fire.

## Colour Choice

Black Glass

## Heat Output

4.85 - 5.20kW 

## Efficiency

Conventional flue 70%

Balanced flue 81%

## Fuel Bed

White Stones

Logs

## Command Controls

Sequential Remote


## Chimney Types

**1** **2** **BF**

(please see pages 52-53)



Gas Riva Vision Large (balanced flue) with white stone fuel effect



*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58 and 68*

# Gas Riva Vision Bench



Gas Riva Vision Large (conventional flue) with log-effect fire and Gloss Black flue pipe on 120 low Riva bench



For an elegant and stylish 'wide-screen' look, the Gas Riva Vision Large can also be mounted on a choice of six benches; (see page 69 for further information).

Raised off the hearth on a sturdily constructed and specially designed bench, the extra height enhances the clear view of the flames and stove. Your stove can be further personalised simply by choosing your fuel bed; either white stones or logs – whichever is your preference.

For ultimate convenience, Gazco's programmable Sequential remote gives you complete control of the flames and temperature including a programmable timer so your home is always warm and welcoming.

## Colour Choice

Black Glass

## Heat Output

4.85 - 5.20kW

## Efficiency

Conventional flue 70%

Balanced flue 81%

## Fuel Bed

White Stones

Logs

## Command Controls

Sequential Remote

## Chimney Types

**1** **2** **BF**

(please see pages 52-53)

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58, 68 and 69*





Gas Riva Vision Large (balanced flue) with white stone fuel effect on 140 low Riva bench





# Gas F67 Riva

If you need a high level of heating performance and efficiency but are seeking a look that is, perhaps, a little closer to a contemporary fire than a stove, then the F67 Riva offers an exceptionally stylish solution.

At the heart of the F67 Riva is a highly efficient gas log fire. This not only provides a 'real fire' atmosphere, complete with comforting glow and flickering flames, but also up to 4.9kW of effective heating at the turn of a switch. Alternatively, opt for one of our Command remote controls and operation is easier still!

## Colour Choice

Black, with polished stainless steel inserts

## Heat Output

2.34 - 4.90kW 

## Efficiency

Conventional flue 72%

Balanced flue 75%

## Fuel Bed

Logs

## Command Controls

Manual

Standard upgradable

Programmable upgradable

## Chimney Types

1 2 BF

(please see pages 52-53)



Gas F67 Riva



Gas Riva F67 can also be mounted on a Riva bench. Please see page 46 for more information.

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58 and 67*

# Gas F67

## Riva Bench & Pedestal

As an alternative interior design option, the F67 Riva can also be mounted on a bench or pedestal.

The specially designed stove benches and pedestals provide extra height, so you can make the most of the view of the fire through the generously wide window, whilst the additional width creates a more striking focal point in your home. The pedestal version even has a tapered design to the rear allowing you to install it into the corner of a room.

For total convenience, choose Gazco's Command Programmable remote and you can set the fire to switch on/off when you want or simply adjust the flames and temperature from your favourite armchair!



Gas F67 Riva on 120 high Riva bench




Gas F67 Riva on 140 low Riva bench  
(for larger pictures of bench style settings please see page 43 or visit [www.gazco.com](http://www.gazco.com))

### Colour Choice

Black, with polished stainless steel inserts

### Heat Output

2.34 - 4.90kW 

### Efficiency

Conventional flue 72%  
Balanced flue 75%

### Fuel Bed

Logs

### Command Controls

Manual  
Standard upgradable  
Programmable upgradable

### Chimney Types

**1** **2** **BF**

(please see pages 52-53)

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58, 67 and 69*





Gas F67 Riva Pedestal

# Gas F40 Avanti

Designed to provide a splendid focal point in contemporary styled interiors, the new Gas F40 Avanti is available in three distinctive versions – Avanti, Avanti Midi and Avanti Highline – to suit the widest range of requirements. Each features excellent views of Gazco's highly realistic coal or log fire through its large glass window.



Gas F40 Avanti Highline with coal-effect fire  
(conventional flue only)




Gas F40 Avanti with log-effect fire (balanced flue  
only), shown in Stovax Alborg mantel

## Colour Choice

Iridium/Black

## Heat Output

2.34 - 4.02kW 

## Efficiency

Conventional flue 73%

Balanced flue 78%

## Fuel Bed

Coals

Logs

## Command Controls

Manual

Standard upgradable

Programmable upgradable

## Chimney Types

**1** **2** **BF**

(please see pages 52-53)

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58 and 67*







Gas F40 Avanti Midi with coal-effect fire (conventional flue only)



# Gas Riva Nemos

Combining both pure lines and soft curves, the Riva Nemos has an allure that is immediate. However, its beauty is more than skin deep, because behind the glass window you will find a state-of-the-art gas fire featuring superbly sculpted driftwood logs and an exceptionally realistic flame pattern.

Furthermore, the Riva Nemos has been developed for highly efficient heating. Opt for the Programmable remote control and you can even wake up or come home to that cosy 'real fire' atmosphere and a room temperature to suit your needs.

## Colour Choices

Iridium/Black  
Brushed Stainless/Black

## Heat Output

2.44 - 5.10kW 

## Efficiency

75%

## Fuel Bed

Driftwood

## Command Controls

Manual  
Standard upgradable  
Programmable upgradable

## Chimney Types

**BF**

(please see pages 52-53)



Gas Riva Nemos in Brushed Stainless

*Efficiency figures given are based upon the maximum heat output achieved for these models.*

*For complete model choices, specifications and additional information please see pages 52-58 and 68*



# What's your type?

Before you select your stove, your local Gazco retailer will need to make sure it's suitable for your home. Firstly, you need to know what fuel you will be running. Secondly, you will need to be aware of what type of chimney or flue you have. If you do not have a chimney then don't worry, Gazco have models developed to suit your home too! To assist you in selecting the right stove for your home, a general guide to which models can be installed with the various flue types is given on each page.

## Fuel - Gas or Electric?

The majority of our stoves are available in either gas or electric versions. All the electric models run on a standard 13amp plug and have no need for a chimney.

## Which Gas type....

All Gazco gas stoves in this brochure can be specified for use with either Natural Gas or LPG. Natural Gas is provided through mains pipelines, whilst LPG is usually supplied to homes in rural areas from a tank in the garden or gas bottles.

## Your home...

The type of chimney or flue you have usually dictates your choice of stove. To help you understand which stoves are suitable for your home, please use the information and pictures shown opposite to identify your chimney. Don't worry, if you don't have a chimney though, you can still find the perfect stove for your home. Once you have identified your chimney (or confirmed you do not have one), take note of the symbol that represents this, as this has been used throughout the brochure to represent the stoves that are suitable for installation in your home.





## Brick or Stone Chimney

(Class 1) **1**

Conventional chimneys are easily recognisable. The stack rises well above the roofline and is topped by a traditional chimney pot or gas terminal. This type of chimney relies on the natural circulation of heated air to expel the products of combustion up your chimney.



## Pre-Fabricated Flues

(Class 1 & 2) **2**

You will see a metal flue cowl on your roof. Some are all metal whilst others may terminate through a short rectangular pot (but without a chimney stack). These flues create the same circulation of heated air as a brick or stone chimney.



## Pre-Cast flues

(Class 2) **3**

Many modern homes have been built with such flues. You can readily identify them by either a metal flue cowl or a raised ridge terminal on your roof. Again, the natural circulation of heated air expels the products of combustion. This option is only available on the small stoves



## Balanced Flue

(No chimney required) **BF**

Balanced flues work in conjunction with glass fronted gas stoves. The appliance is completely sealed from the room into which it is installed (so there are no draughts and heating efficiency is increased!) and a twin-wall pipe vents directly to an outside wall. Air for combustion is drawn in through the outer pipe whilst the inner pipe removes the combustion gases to the exterior of the property. Dependent upon the stove selected, the twin-walled pipe may exit horizontally through an external wall or vertically through the roof. No electric supply is required; therefore there is no sound with this flue system.



## Powered Flue

(No chimney required) **PF**

A powered flue uses an extractor unit mounted to vent the combustion gases directly outside. This means that your stove does not have to be installed against an external wall, so it can be located in more rooms around your home. A mains electricity supply is needed to operate this system.



## Electric Stoves

(No chimney required) **⚡**

Gazco produce an excellent selection of electric Marlborough, Stockton, Huntingdon 30, Clarendon, Ashdon and Steel Manhattan stoves which do not, of course, require a chimney or flue of any kind.

## No Air Vent required (UK) **🇬🇧**

All stoves shown with this symbol, boast the advantage of not normally requiring an air vent\* where the air permeability is greater than 5.0m<sup>3</sup>/hr/m<sup>2</sup>. Please discuss this in full with your local Gazco retailer.

\*Requirements in the Republic Of Ireland are different.

# Additional Information

## Impressive features

All Gazco gas stoves have an outstanding list of standard features:

- **Ceramic fibre coals, logs or driftwood** - skillfully sculpted for maximum 'real fire' effect and atmosphere
- **Multi-purpose control knobs** - for simple, fingertip control of ignition, pilot light and gas supply
- **Piezo ignition** - automatic sparking without batteries or electricity
- **Adjustable flame setting** - infinitely adjustable between high and low
- **Convection system** - for improved heating efficiency and safety
- **Flame failure device** - automatically shuts off the gas supply if the pilot light goes out
- **Flue Sure System®** - Gazco's special safety system shuts off the gas supply in the case of accidental flue blockage (conventional flue models only)
- **Choice of flue exit** - top or rear exit options for greater flexibility of installation (except Brunel and small balanced flue models which are rear exit only)

## Colour/finish choices

According to model, the colour/finishes available are shown below:

	Matt Black - 2		Matt Beige - 4
	Midnight Blue - 1		Ivory - 1
	Laurel Green - 1		Graphite - 2
	Iridium - 2		Brushed Stainless Steel - 3
	Anthracite - 2	1 = Enamel finish 2 = Paint finish 3 = Steel finish 4 = Glaze finish	

## Command remote controls

### Gas Stoves

Gazco was the first UK company to introduce remote controls for gas fires. Today, our Command remote control systems allow most stoves to be upgraded, either at the time of purchase or at a later date, with either:

#### a) Standard upgradable remote control



Once the pilot light has been ignited manually you can vary the flame height and heat output from the comfort of your armchair.

#### b) Programmable upgradable remote control



This deluxe version has two additional features. The first allows you to thermostatically control the room temperature whilst the second allows you to programme your stove to switch itself on and off twice a day. Use both and you can even come home to a glowing fire that has heated the room to the temperature you select.

#### c) Sequential remote control for Gas Riva Vision



The programmable Sequential remote allows you to operate everything from flame ignition to extinguish and heat output to thermostatic control. There is also a programmable timer ensuring your home is always warm and welcoming.

### Electric Stoves

Our range of Electric Stoves are as easy to install as plugging in and switching on! They are available in a range of designs from traditional to modern, ensuring that there is an electric stove available to suit all pockets and locations. The heater and VeriFlame™ controls for each fire are discreetly located under the stove and can be operated using the supplied remote\*.

The VeriFlame™ technology consists of two heat settings that can both be thermostatically controlled, three flame intensities, plus the additional option of a blue flame effect on the high setting - so you can mix and match to create the perfect ambience. Select from fire effect only, fire effect + 1kW heat and fire effect + 2 kW heat. Every VeriFlame™ setting beautifully highlights the highly realistic hand painted log-effect glass fibre fuel bed.

*\*The thermostat is controlled manually from the stove.*

#### The Gazco VeriFlame™ Difference



Unique on the market, Gazco's VeriFlame™ technology produces the ultimate in realistic fire effects. The complementary remote control allows you to independently adjust the brightness and colour of the flames and fuel bed so you can produce the exact ambience you require. Complete flexibility at the touch of a button. There are also discreetly concealed manual controls should the batteries in the remote control run out of power.

## Technical Specifications

All specifications given in the main part of this brochure are approximate. Actual specifications for each individual product will vary according to the exact model and are given on pages 60-69. Your Gazco retailer will be pleased to help explain specific model specifications and provide any further information you may require, or you can view/download specification sheets from [www.gazco.com](http://www.gazco.com).

## Installation

Gazco gas stoves must be fitted by a qualified gas installer (GasSafe registered in the United Kingdom or Bord Gais registered in the Republic of Ireland) who should also verify the proposed site conditions are fully suitable for the product selected. Complete installation instructions for many models can be obtained prior to purchase by downloading them from [www.gazco.com](http://www.gazco.com).

## Colours

Owing to variations in studio lighting and printing inks, the colours of stoves illustrated in this brochure may differ slightly from actual models.

In addition, the glaze used on the Ceramica Manhattan is fired on to the ceramic shell castings at very high temperatures. These castings sometimes have shading variations in the glaze finish and this does not constitute a fault, indeed, they add to the charm and individuality of every piece.

## Product improvement

Stovax pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase.

All fire and flame photography has been taken from genuine products; however, the exact appearance of the flame picture for any appliance will vary depending on the nature of the flue type, installation surroundings, local geographical features and the way in which the appliance is operated.

**Please note:** The operation and appearance of gas appliances depends on variable factors such as the gas pressure supplied.

## Warranty information

Your Gazco retailer will provide you with a Two Year Warranty for your new gas stove. The second year's warranty is dependant on your appliance being serviced by an appropriately qualified person 12 months after installation. In addition, there is a Five Year Warranty on castings\* which form the main carcass of cast iron stoves and the cast iron door in the case of steel stoves. Please note, these warranties exclude certain consumable parts. Full details of these warranties are available at [www.gazco.com](http://www.gazco.com).

\* Castings refers to the main carcass of cast iron stoves and the cast iron door in the case of steel stoves. This warranty excludes naturally wearing cast parts.



# GAS STOVES - dimensions and options

Model	Overall dimensions (mm)			Approx weight (kg)	Conventional or Pre-fabricated flue
	W	H	D		
<b>Gas Marlborough</b> - Matt Black only					
Small	410	533	360	35	✓
Medium	590	583	410	48	✓
Large	730	628	420	56	✓
<b>Gas Stockton</b> - Matt Black only					
Small	422	525	340	57	✓
Stockton 5	481	544	337	55	✓
Medium	579	618	411	77	✓
<b>Gas Huntingdon 30</b> - Matt Black, Laurel Green, Midnight Blue and Ivory					
	560	592	351	72	✓
<b>Gas Clarendon</b> - Matt Black but also Laurel Green and Midnight Blue on S & M Clear Glass models					
Small	431	589	342	56	✓
Medium	654	652	427	86	✓
Large	779	710	468	102	✓
Small - clear glass	431	589	342	54	✓
Medium - clear glass	654	652	427	84	✓
Large - clear glass	779	710	468	99	✓
<b>Gas Ashdon</b> - Matt Black, Laurel Green, Midnight Blue and Ivory					
Medium	654	652	515	88	✓
Medium - clear glass	654	652	515	86	✓
<b>Gas Brunel</b> - Matt Black, Laurel Green and Midnight Blue					
	412	524	414	49	✓*
<b>Gas Regency</b> - Matt Black only					
Small	850	910	600	125	✓
Medium	950	940	660	142	✓
<b>Gas Ceramica Manhattan</b> - Matt Beige only					
	711	720	427	110	✓
<b>Gas Steel Manhattan</b> - Anthracite and Brushed Stainless Steel					
Small	540	635	360	64	-
Medium	711	700	427	80	✓
<b>Gas Riva Nemos</b> - Iridium/Black Brushed Stainless Steel/Black					
	694	1148	424	122	-
<b>Gas Riva Vision Large</b> - Black Glass					
Conventional Flue	876	631	390	74.5	-
Balanced Flue	876	656	375	78.5	-
<b>Gas F40 Avanti</b> - Iridium/Black only					
Avanti	462	644	331	45	✓
Midi	462	824	331	55	✓
Highline	462	999	331	65	✓
<b>Gas Riva F67</b> - Black, with polished steel only					
Riva F67	880	592	420	58	-
Riva F67 Bench	1200	942	420	102	-
Riva F67 Pedestal	880	843	420	98	-



**Important Notes:****1. Conventional Flue Pipe and options:**

for flue pipe codes and options such as flue collars, closure plates and spigot extensions, please see price list.

**2. Balanced Flue:**

in addition, please order appropriate flue kit and optional flue collar. Please see price list for details.

**3. Powered Flue:**

please order powered flue kit and, if terminal is to be less than 2m above ground level, a terminal guard is also required.

**4. \*:** indicates product is available with rear flue exit only.  
**†:** indicates product is available with top flue exit only.

**5.** All other products are top or rear.

Coal fire		Log fire		White Stones	
Pre-cast flue	Powered flue	Conventional or Pre-fabricated	Balanced flue	Conventional or Pre-fabricated	Balanced flue
✓	✓	-	✓*	-	-
-	✓	✓	✓	-	-
-	✓	-	-	-	-
✓	✓	-	✓*	-	-
-	-	-	✓	-	-
-	✓	✓	✓	-	-
-	-	-	✓	-	-
✓	✓	-	✓*	-	-
-	✓	✓	✓	-	-
-	✓	-	-	-	-
-	✓	✓	✓	-	-
-	✓	-	-	-	-
-	✓	✓	✓	-	-
-	✓	✓	✓	-	-
✓*	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	✓	✓	✓	-	-
-	-	-	✓*	-	-
-	✓	✓	✓	-	-
-	-	-	✓†	-	-
-	-	✓†	-	✓†	-
-	-	-	✓†	-	✓†
-	-	-	✓	-	-
-	-	-	✓	-	-
-	-	-	✓	-	-
-	-	✓†	✓†	-	-
-	-	✓†	✓†	-	-
-	-	✓†	✓†	-	-

# GAS FLUE SYSTEMS

## 1. Closure Plate and Spigot Extension†


This is a flue system suitable for homes with existing conventional chimneys in which an airtight, steel closure plate is fitted over a fireplace opening or Class 2 pre-cast starter block and a short piece of flue extends from the back of the stove, through the plate, into the chimney. The products of combustion are carried up the chimney by natural convection.

**Models which can be fitted with a closure plate and spigot extension are:**

Small Gas Marlborough, Small Gas Stockton, Small Gas Clarendon, Medium Gas Marlborough, Medium Gas Stockton and Gas Brunel.

**Models which can be fitted to a pre-cast chimney with a closure plate are:**

Small Gas Marlborough, Small Gas Stockton, Small Gas Clarendon and Gas Brunel.




## 2. Rigid or Flexible Metal Flue†

With this flue system rigid metal tubes, or a combination of rigid and flexible metal tubes, extend vertically directly from the stove to the outside of the property. This may be either straight through the ceiling or roof with the flue pipe exposed, or by using the channel of a chimney or a studwork enclosure. The products of combustion are carried up the flue by natural convection.

**Models which can use this system are:**

Small, Medium and Large Gas Marlborough, Small and Medium Gas Stockton, Gas Stockton 5, Huntingdon 30, Small, Medium and Large Gas Clarendon and clear glass, Gas Ashdon and clear glass, Gas Brunel, Ceramica Manhattan, Small and Medium Steel Manhattan, Gas F40 Avanti, Midi and Highline, Gas F67 Riva, Gas F67 Riva Bench, Gas F67 Riva Pedestal and Gas Riva Vision Large†. Also Small and Medium Gas Regency with 7" minimum flue.



## 3. Balanced Flue

Where a room has no chimney, then a Balanced Flue version of a Gazco stove is a practical option. The flue consists of one tube inside another. The outer tube brings air into the stove for combustion whilst the inner one emits the products of combustion.

Options: A - Rear outlet (max 600mm wall thickness).

B - Top outlet/up and out (min rise 500mm, max 3m), horizontal (min 500mm, max 5m).

An additional bend can be incorporated in to the horizontal section of the 'up and out', dependent upon a 1m min vertical rise.

C - Top outlet/vertical (min 3m, max 10m).


D - Top outlet/vertical with offset (min to first bend 500mm, max flue length 10m).

Ask your retailer for full technical details or see our Concentric Flue System brochure at [www.gazco.com](http://www.gazco.com).

**Models which can use this system are:**

Small\* and Medium Gas Marlborough, Small\* and Medium Gas Stockton, Gas Stockton 5, Gas Huntingdon 30, Gas F40 Avanti, Midi and Highline, Gas F67 Riva†, Gas F67 Riva Bench†, Gas F67 Riva Pedestal†, Gas Riva Vision Large†, Small\* and Medium Gas Clarendon and Clear Glass, Gas Ashdon and clear glass, Ceramica Manhattan, Small\* and Medium Steel Manhattan and Gas Riva Nemos†. (\*Rear outlet only † Top outlet only)

All Balanced Flue models are log effect only.




## 4. Powered Flue

Where a room has no chimney then a Powered Flue is the answer. It is a special extractor unit which attaches to an outside wall and removes the products of combustion, along a rigid metal pipe by fan action. Generally the flue pipe can be of longer lengths than with a Balanced Flue and can also include a number of 90° bends.

**Models which can use this system are:**

Small, Medium and Large Gas Marlborough, Small and Medium Gas Stockton, Small, Medium and Large Gas Clarendon and clear glass, Gas Ashdon and clear glass, Ceramica Manhattan and Medium Steel Manhattan.

Use Powered Flue with coal effect only.



†Due to the high efficiency and the limited flue flow of the closed convector stoves, a 5" (125mm) flexible flue liner is required when installing the stoves into a brick chimney or a larger than 5" (125mm) diameter lined flue. The only exception to this is stoves that are listed as suitable for installation with a Gazco closure plate and spigot over a standard 22x16" fire opening.

# ELECTRIC STOVES - dimensions and options

Model	Overall dimensions (mm)			Approx weight (kg)	Log Fire
	W	H	D		Electric No flue req.
<b>Electric Marlborough</b> - Matt Black only					
Small	410	559	360	35	✓
Medium	590	583	410	48	✓
<b>Electric Stockton</b> - Matt Black only					
Small	422	525	340	57	✓
Stockton 5	481	544	337	55	✓
Medium	579	618	411	82	✓
<b>Electric Huntingdon 30</b> - Matt Black, Laurel Green, Midnight Blue and Ivory					
	560	592	351	71.5	✓
<b>Electric Clarendon</b> - Matt Black, Laurel Green and Midnight Blue					
Small	431	589	342	56	✓
Medium	654	652	427	78	✓
<b>Electric Ashdon</b> - Matt Black, Laurel Green, Midnight Blue and Ivory					
	654	652	515	78	✓
<b>Electric Steel Manhattan</b> - Anthracite and Brushed Stainless Steel					
Small	540	635	360	33	✓
Medium	711	700	427	44	✓





# Technical Information

The following pages provide much of the dimensional, heat input/output, efficiency and product code information you will need to choose your new Gazco Stove. For more detailed specifications, please consult your Gazco retailer. Alternatively, complete installation instructions may be downloaded from **[www.gazco.com](http://www.gazco.com)**.

## Contents

### **Traditional Stoves**

Gas and Electric Marlborough	61
Gas and Electric Stockton	61
Gas and Electric Huntingdon 30	62
Gas and Electric Clarendon	63
Gas and Electric Ashdon	64
Gas Brunel	65
Gas Regency	65

### **Contemporary Stoves**

Gas Ceramica Manhattan	66
Gas and Electric Steel Manhattan	66
Gas F40 Avanti	67
Gas F67 Riva	67
Gas Riva Vision Large	68
Gas Riva Nemos	68
Components for balanced flue Gas models	69
Riva Benches (for Gas F67 Riva and Gas Riva Vision Large)	69




# Gas and Electric Marlborough

Product Code	Model	Colour	Flue Type	Logs/ Coals	Fuel Type	Heat Input	Heat Output	Efficiency
⊗ 8560	Small	Matt Black	Conventional	Coals	Nat.Gas	4.55kW	3.55kW	78%
⊗ 8536	Small	Matt Black	Balanced	Logs	Nat.Gas	3.65kW	2.85kW	78%
⊗ 8564	Medium	Matt Black	Conventional	Coals	Nat.Gas	6.60kW	5.15kW	78%
⊗ 8610LUC	Medium	Matt Black	Conventional	Logs	Nat.Gas	6.60kW	5.28kW	80%
⊗ 8535LUC	Medium	Matt Black	Balanced	Logs	Nat.Gas	6.40kW	5.25kW	82%
8568	Large	Matt Black	Conventional	Coals	Nat.Gas	8.90kW	6.95kW	78%
⊗ P8560	Small	Matt Black	Conventional	Coals	LPG	4.60kW	3.60kW	78%
⊗ P8536	Small	Matt Black	Balanced	Logs	LPG	3.65kW	2.85kW	78%
⊗ P8564	Medium	Matt Black	Conventional	Coals	LPG	6.30kW	4.90kW	78%
⊗ P8610LUC	Medium	Matt Black	Conventional	Logs	LPG	6.40kW	5.25kW	82%
⊗ P8535LUC	Medium	Matt Black	Balanced	Logs	LPG	6.15kW	5.04kW	82%
P8568	Large	Matt Black	Conventional	Coals	LPG	9.30kW	7.25kW	78%
⊗ E8560	Small	Matt Black	N/A	Logs	Elec	—	2.00kW	99%
⊗ E8610	Medium	Matt Black	N/A	Logs	Elec	—	2.00kW	99%

Marlborough Dimensions (see letters on diagram)

	A		B		C		D		E		F	
	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm
Small	16 <sup>1</sup> / <sub>8</sub>	410	21*	533*	14 <sup>1</sup> / <sub>8</sub>	360	11	280	13 <sup>3</sup> / <sub>8</sub>	352	4 <sup>3</sup> / <sub>8</sub>	111
Medium	23 <sup>3</sup> / <sub>4</sub>	590	23	583	16 <sup>1</sup> / <sub>8</sub>	410	13	330	15 <sup>3</sup> / <sub>4</sub>	401	4	101
Large	28 <sup>3</sup> / <sub>4</sub>	730	24 <sup>3</sup> / <sub>4</sub>	628	16 <sup>1</sup> / <sub>2</sub>	420	13 <sup>3</sup> / <sub>8</sub>	340	17 <sup>1</sup> / <sub>2</sub>	446	4	101

\* Small Electric Marlborough is 1" (25mm) higher.



† (Balanced flue version 5<sup>1</sup>/<sub>4</sub>" 134mm).

\* (Small balanced flue version 14<sup>1</sup>/<sub>2</sub>" 370mm).

† (Medium balanced flue version 17<sup>3</sup>/<sub>8</sub>" 453mm).

Recommended clearances between stove and other surfaces: top 9" (225mm), sides 6" (150mm), rear must be a minimum of 2" (50mm).

The Marlborough has a choice of top or rear flue exit and can be supplied with an optional rear closure plate: Small (**8108**), Medium (**8109**) and spigot extension (**8111**). Small balanced flue stoves are rear exit only.

## Stove Flue Pipe

Balanced flue versions of the Gas Marlborough must only use the 6" stainless steel flue provided. For additional Matt Black, Midnight Blue, Laurel Green and Ivory enamelled flue collars, please see the Gazco Stoves price list. Gazco recommends the use of 5" matt black enamelled stove pipe with the conventional flue version Marlborough stove. The components usually required are:


Description	Product Code
1' Straight pipe	4500
2' Straight pipe	4501
3' Straight pipe	4502
90° long 'elbow' adaptor (9" projection)	4514
Flue collar	8549

# Gas and Electric Stockton

Product Code	Model	Colour	Flue Type	Logs/ Coals	Fuel Type	Heat Input	Heat Output	Efficiency
⊗ 8573	Small	Matt Black	Conventional	Coals	Nat Gas	4.55kW	3.55kW	78%
⊗ 8540	Small	Matt Black	Balanced	Logs	Nat Gas	3.65kW	2.85kW	78%
⊗ 8574	Medium	Matt Black	Conventional	Coals	Nat Gas	6.60kW	5.15kW	78%
⊗ 8575MCUC	5	Matt Black	Conventional	Coals	Nat Gas	4.60kW	3.36kW	73%
⊗ 8563LUC	5	Matt Black	Balanced	Logs	Nat Gas	4.25kW	3.40kW	80%
⊗ 8617LUC	Medium	Matt Black	Conventional	Logs	Nat Gas	6.60kW	5.28kW	80%
⊗ 8570LUC	Medium	Matt Black	Balanced	Logs	Nat Gas	6.40kW	5.25kW	82%
⊗ P8573	Small	Matt Black	Conventional	Coals	LPG	4.60kW	3.60kW	78%
⊗ P8540	Small	Matt Black	Balanced	Logs	LPG	3.65kW	2.85kW	78%
⊗ P8574	Medium	Matt Black	Conventional	Coals	LPG	6.30kW	4.90kW	78%
⊗ P8617LUC	Medium	Matt Black	Conventional	Logs	LPG	6.40kW	5.25kW	82%
⊗ P8570LUC	Medium	Matt Black	Balanced	Logs	LPG	6.15kW	5.04kW	82%
⊗ P8575MCUC	5	Matt Black	Conventional	Coals	LPG	4.40kW	3.21kW	73%
⊗ P8563LUC	5	Matt Black	Balanced	Logs	LPG	4.10kW	3.28kW	80%
⊗ E8573	Small	Matt Black	N/A	Logs	Elec	—	2.00kW	99%
⊗ E8575	5	Matt Black	N/A	Logs	Elec	—	2.00kW	99%
⊗ E8617	Medium	Matt Black	N/A	Logs	Elec	—	2.00kW	99%

Stockton Dimensions (see letters on diagram)

	A		B		C		D		E		F	
	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm
Small	16 <sup>1</sup> / <sub>8</sub>	422	20 <sup>1</sup> / <sub>8</sub>	525	11 <sup>1</sup> / <sub>2</sub>	290	13 <sup>3</sup> / <sub>8</sub>	346	4 <sup>3</sup> / <sub>8</sub>	110	2	50
Medium	22 <sup>3</sup> / <sub>4</sub>	579	24 <sup>3</sup> / <sub>16</sub>	618	13 <sup>3</sup> / <sub>8</sub>	345	16 <sup>3</sup> / <sub>4</sub>	425	4	102	2 <sup>1</sup> / <sub>8</sub>	66
5	19	481	21 <sup>1</sup> / <sub>2</sub>	544	10 <sup>3</sup> / <sub>4</sub>	273	15	380	3 <sup>3</sup> / <sub>8</sub>	92	2 <sup>1</sup> / <sub>2</sub>	64



† (Balanced flue version 5<sup>1</sup>/<sub>2</sub>" 140mm).

\* (Small balanced flue version 14<sup>1</sup>/<sub>2</sub>" 366mm)

\* (Medium balanced flue version 19" 482mm)

\* (Stockton 5 balanced flue 15<sup>1</sup>/<sub>2</sub>" 401mm)

Recommended clearances between stove and other surfaces: top 9" (225mm), sides 6" (150mm), rear must be a minimum of 2" (50mm).

The Stockton has a choice of top or rear flue exit. Small and medium models can be supplied with an optional rear closure plates: Small (**8042**), Medium (**8105**) and spigot extension (**8111**). Small balanced flue stoves are rear exit only.


## Stove Flue Pipe

Balanced flue versions of the Gas Stockton must only use the 6" stainless steel flue provided. For additional Matt Black, Midnight Blue, Laurel Green and Ivory enamelled flue collars, please see the Gazco Stoves price list. Gazco recommends the use of 5" Matt Black enamelled stove pipe with the conventional flue version. The components required are:

Description	Product Code
1' Straight pipe	4500
2' Straight pipe	4501
3' Straight pipe	4502
90° Long 'elbow' adaptor (9" projection)	4514
Flue collar	8549

# Gas and Electric Huntingdon 30

Product Code	Model	Colour	Flue Type	Logs/ Coals	Fuel Type	Heat Input	Heat Output	Efficiency
⊗ 8503CFMCUC	30	Matt Black	Conventional	Coals	Nat Gas	4.60kW	3.50kW	76%
⊗ 8503CFMCUCMB	30	Midnight	Conventional	Coals	Nat Gas	4.60kW	3.50kW	76%
⊗ 8503CFMCUCLG	30	Laurel	Conventional	Coals	Nat Gas	4.60kW	3.50kW	76%
⊗ 8503CFMCUCIV	30	Ivory	Conventional	Coals	Nat Gas	4.60kW	3.50kW	76%
⊗ 8503BFLUC	30	Matt Black	Balanced	Logs	Nat Gas	4.20kW	3.35kW	80%
⊗ 8503BFLUCMB	30	Midnight	Balanced	Logs	Nat Gas	4.20kW	3.35kW	80%
⊗ 8503BFLUCCLG	30	Laurel	Balanced	Logs	Nat Gas	4.20kW	3.35kW	80%
⊗ 8503BFLUCIV	30	Ivory	Balanced	Logs	Nat Gas	4.20kW	3.35kW	80%
⊗ P8503CFMCUC	30	Matt Black	Conventional	Coals	LPG	4.40kW	3.35kW	76%
⊗ P8503CFMCUCMB	30	Midnight	Conventional	Coals	LPG	4.40kW	3.35kW	76%
⊗ P8503CFMCUCLG	30	Laurel	Conventional	Coals	LPG	4.40kW	3.35kW	76%
⊗ P8503CFMCUCIV	30	Ivory	Conventional	Coals	LPG	4.40kW	3.35kW	76%
⊗ P8503BFLUC	30	Matt Black	Balanced	Logs	LPG	4.10kW	3.28kW	80%
⊗ P8503BFLUCMB	30	Midnight	Balanced	Logs	LPG	4.10kW	3.28kW	80%
⊗ P8503BFLUCCLG	30	Laurel	Balanced	Logs	LPG	4.10kW	3.28kW	80%
⊗ P8503BFLUCIV	30	Ivory	Balanced	Logs	LPG	4.10kW	3.28kW	80%
⊗ E8503	30	Matt Black	N/A	Logs	Elec	—	2.00kW	99%
⊗ E8503LG	30	Midnight	N/A	Logs	Elec	—	2.00kW	99%
⊗ E8503MB	30	Laurel	N/A	Logs	Elec	—	2.00kW	99%
⊗ E8503IV	30	Ivory	N/A	Logs	Elec	—	2.00kW	99%



Huntingdon 30 Dimensions (see letters on diagram)

	A		B		C		D		E		F		G	
	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm
30	22	560	23 <sup>1</sup> / <sub>4</sub>	592	13 <sup>7</sup> / <sub>8</sub>	351	15 <sup>3</sup> / <sub>4</sub>	403	3 <sup>4</sup> / <sub>5</sub>	96	6 <sup>7</sup> / <sub>8</sub>	174	18 <sup>6</sup> / <sub>8</sub>	475

†(Balanced flue version 195mm (7<sup>7</sup>/<sub>8</sub>)).

\* (Balanced flue version 422mm (16<sup>3</sup>/<sub>8</sub>))

Recommended clearances between stove and other surfaces: top 9" (225mm), sides 6" (150mm), rear must be a minimum of 2" (50mm).

The Huntingdon 30 has a choice of top or rear flue exit.

### Stove Flue Pipe

Balanced flue versions of the Gas Huntingdon 30 must only use the 6" stainless steel flue provided. For additional Matt Black, Midnight Blue, Laurel Green and Ivory enamelled flue collars, please see the Gazco Stoves price list. Gazco recommends the use of 5" Matt Black enamelled stove pipe with the conventional flue version. The components required are:

Description	Product Code
1' Straight pipe, Matt Black	4500
2' Straight pipe, Matt Black	4501
3' Straight pipe, Matt Black	4502
90° long 'elbow' adaptor (9" projection), Matt Black	4514
1' Straight pipe, Midnight Blue	4500MBL
2' Straight pipe, Midnight Blue	4501MBL
3' Straight pipe, Midnight Blue	4502MBL
1' Straight pipe, Laurel Green	4500LG
2' Straight pipe, Laurel Green	4501LG
3' Straight pipe, Laurel Green	4502LG
1' Straight pipe, Ivory	4500IV
2' Straight pipe, Ivory	4501IV
3' Straight pipe, Ivory	4502IV
Flue collar, Matt Black	8549
Flue collar, Midnight Blue	8549MB
Flue collar, Laurel Green	8549LG
Flue collar, Ivory	8549IV

# Gas and Electric Clarendon

Product Code	Model	Colour	Flue Type	Logs/ Coals	Fuel Type	Heat Input	Heat Output	Efficiency
⊗ <b>8541</b>	Small	Matt Black	Conventional	Coals	Nat.Gas	4.55kW	3.55kW	78%
⊗ <b>8538</b>	Small	Matt Black	Balanced	Logs	Nat.Gas	3.65kW	2.85kW	78%
⊗ <b>8542</b>	Medium	Matt Black	Conventional	Coals	Nat.Gas	6.60kW	5.12kW	78%
⊗ <b>8611LUC</b>	Medium	Matt Black	Conventional	Logs	Nat.Gas	6.60kW	5.28kW	80%
⊗ <b>8545LUC</b>	Medium	Matt Black	Balanced	Logs	Nat.Gas	6.40kW	5.25kW	82%
<b>8543</b>	Large	Matt Black	Conventional	Coals	Nat.Gas	8.90kW	6.95kW	78%
⊗ <b>P8541</b>	Small	Matt Black	Conventional	Coals	LPG	4.60kW	3.59kW	78%
⊗ <b>P8538</b>	Small	Matt Black	Balanced	Logs	LPG	3.65kW	2.85kW	78%
⊗ <b>P8542</b>	Medium	Matt Black	Conventional	Coals	LPG	6.30kW	4.91kW	78%
⊗ <b>P8611LUC</b>	Medium	Matt Black	Conventional	Logs	LPG	6.40kW	5.25kW	82%
⊗ <b>P8545LUC</b>	Medium	Matt Black	Balanced	Logs	LPG	6.15kW	5.04kW	82%
<b>P8543</b>	Large	Matt Black	Conventional	Coals	LPG	9.30kW	7.25kW	78%

## Gas and Electric Clarendon Clear Glass

Product Code	Model	Colour	Flue Type	Logs/ Coals	Gas Type	Heat Input	Heat Output	Efficiency
⊗ <b>8517</b>	Small	Matt Black	Conventional	Coals	Nat Gas	4.55kW	3.55kW	78%
⊗ <b>8517B</b>	Small	Midnight	Conventional	Coals	Nat Gas	4.55kW	3.55kW	78%
⊗ <b>8517G</b>	Small	Laurel	Conventional	Coals	Nat Gas	4.55kW	3.55kW	78%
⊗ <b>8562</b>	Small	Matt Black	Balanced	Logs	Nat Gas	3.65kW	2.85kW	78%
⊗ <b>8562B</b>	Small	Midnight	Balanced	Logs	Nat Gas	3.65kW	2.85kW	78%
⊗ <b>8562G</b>	Small	Laurel	Balanced	Logs	Nat Gas	3.65kW	2.85kW	78%
⊗ <b>8518</b>	Medium	Matt Black	Conventional	Coals	Nat Gas	6.60kW	5.15kW	78%
⊗ <b>8518B</b>	Medium	Midnight	Conventional	Coals	Nat Gas	6.60kW	5.15kW	78%
⊗ <b>8518G</b>	Medium	Laurel	Conventional	Coals	Nat Gas	6.60kW	5.15kW	78%
⊗ <b>8612LUC</b>	Medium	Matt Black	Conventional	Logs	Nat Gas	6.60kW	5.12kW	80%
⊗ <b>8612BLUC</b>	Medium	Midnight	Conventional	Logs	Nat Gas	6.60kW	5.12kW	80%
⊗ <b>8612GLUC</b>	Medium	Laurel	Conventional	Logs	Nat Gas	6.60kW	5.12kW	80%
⊗ <b>8547LUC</b>	Medium	Matt Black	Balanced	Logs	Nat Gas	6.40kW	5.25kW	82%
⊗ <b>8547BLUC</b>	Medium	Midnight	Balanced	Logs	Nat Gas	6.40kW	5.25kW	82%
<b>8547GLUC</b>	Medium	Laurel	Balanced	Logs	Nat Gas	6.40kW	5.25kW	82%
⊗ <b>8519</b>	Large	Matt Black	Conventional	Coals	Nat Gas	8.90kW	6.95kW	78%
⊗ <b>P8517</b>	Small	Matt Black	Conventional	Coals	LPG	4.60kW	3.59kW	78%
⊗ <b>P8517B</b>	Small	Midnight	Conventional	Coals	LPG	4.60kW	3.59kW	78%
⊗ <b>P8517G</b>	Small	Laurel	Conventional	Coals	LPG	4.60kW	3.59kW	78%
⊗ <b>P8562</b>	Small	Matt Black	Balanced	Logs	LPG	3.65kW	2.85kW	78%
⊗ <b>P8562B</b>	Small	Midnight	Balanced	Logs	LPG	3.65kW	2.85kW	78%
⊗ <b>P8562G</b>	Small	Laurel	Balanced	Logs	LPG	3.65kW	2.85kW	78%
⊗ <b>P8518</b>	Medium	Matt Black	Conventional	Coals	LPG	6.30kW	4.91kW	78%
⊗ <b>P8518B</b>	Medium	Midnight	Conventional	Coals	LPG	6.30kW	4.91kW	78%
⊗ <b>P8518G</b>	Medium	Laurel	Conventional	Coals	LPG	6.30kW	4.91kW	78%
⊗ <b>P8612LUC</b>	Medium	Matt Black	Conventional	Logs	LPG	6.40kW	5.25kW	82%
⊗ <b>P8612BLUC</b>	Medium	Midnight	Conventional	Logs	LPG	6.40kW	5.25kW	82%
⊗ <b>P8612GLUC</b>	Medium	Laurel	Conventional	Logs	LPG	6.40kW	5.25kW	82%
⊗ <b>P8547LUC</b>	Medium	Matt Black	Balanced	Logs	LPG	6.15kW	5.04kW	82%
⊗ <b>P8547BLUC</b>	Medium	Midnight	Balanced	Logs	LPG	6.15kW	5.04kW	82%
<b>P8547GLUC</b>	Medium	Laurel	Balanced	Logs	LPG	6.15kW	5.04kW	82%
⊗ <b>P8519</b>	Large	Matt Black	Conventional	Coal	LPG	9.30kW	7.25kW	78%
⊗ <b>E8517</b>	Small	Matt Black	N/A	Logs	Elec	–	2.00kW	99%
⊗ <b>E8517MB</b>	Small	Midnight	N/A	Logs	Elec	–	2.00kW	99%
⊗ <b>E8517LG</b>	Small	Laurel	N/A	Logs	Elec	–	2.00kW	99%
⊗ <b>E8612</b>	Medium	Matt Black	N/A	Logs	Elec	–	2.00kW	99%
⊗ <b>E8612MB</b>	Medium	Midnight	N/A	Logs	Elec	–	2.00kW	99%
<b>E8612LG</b>	Medium	Laurel	N/A	Logs	Elec	–	2.00kW	99%


\*(Small balanced flue version 17" 430mm).

\*(Medium balanced flue version 20½" 520mm).

†(Medium balanced flue version 6¼" 158mm).

Recommended clearances between stove and other surfaces: top 9" (225mm), sides 6" (150mm), rear must be a minimum of 2" (50mm).

The Clarendon has a choice of top or rear flue exit and the Small Clarendon can be supplied with an optional rear closure plate (**8104**) and spigot extension (**8111**). Small balanced flue stoves are rear exit only.



Clarendon Dimensions (see letters on diagram)

	A		B		C		D		E	
	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm
<b>Small</b>	17	431	23½	589	13½	342	16	404	5	125
<b>Medium</b>	25¾	654	25¾	652	16¾	427	18¼	463	5	126
<b>Large</b>	30¾	779	28	710	18½	468	20¾	517	6½	166

### Stove Flue Pipe

Balanced flue versions of the Gas Marlborough must only use the 6" stainless steel flue provided. For additional Matt Black, Midnight Blue, Laurel Green and Ivory enamelled flue collars, please see the Gazco Stoves price list. Gazco recommends the use of 5" matt black enamelled stove pipe with the conventional flue version Marlborough stove. The components usually required are:

Description	Product Code
1' Straight pipe, Matt Black	<b>4500</b>
2' Straight pipe, Matt Black	<b>4501</b>
3' Straight pipe, Matt Black	<b>4502</b>
90° long 'elbow' adaptor (9" projection), Matt Black	<b>4514</b>
1' Straight pipe, Midnight Blue	<b>4500MBL</b>
2' Straight pipe, Midnight Blue	<b>4501MBL</b>
3' Straight pipe, Midnight Blue	<b>4502MBL</b>
1' Straight pipe, Laurel Green	<b>4500LG</b>
2' Straight pipe, Laurel Green	<b>4501LG</b>
3' Straight pipe, Laurel Green	<b>4502LG</b>
Flue collar, Matt Black	<b>8549</b>
Flue collar, Midnight Blue	<b>8549MB</b>
Flue collar, Laurel Green	<b>8549LG</b>

### Longer legs - Matt Black only

A set of longer legs, raising the height of the Clarendon by 2½" (55mm) is available as an optional extra\*. Product code **8113**.

\*Not suitable for use with optional rear closure plate.


# Gas and Electric Ashdon

Product Code	Model	Colour	Flue Type	Logs/ Coals	Fuel Type	Heat Input	Heat Output	Efficiency
⊗ 8513	Medium	Matt Black	Conventional	Coals	Nat.Gas	6.60kW	5.15kW	78%
⊗ 8513B	Medium	Midnight	Conventional	Coals	Nat.Gas	6.60kW	5.15kW	78%
⊗ 8513G	Medium	Laurel	Conventional	Coals	Nat.Gas	6.60kW	5.15kW	78%
⊗ 8513V	Medium	Ivory	Conventional	Coals	Nat.Gas	6.60kW	5.15kW	78%
⊗ 8613LUC	Medium	Matt Black	Conventional	Logs	Nat.Gas	6.60kW	5.28kW	80%
⊗ 8613BLUC	Medium	Midnight	Conventional	Logs	Nat.Gas	6.60kW	5.28kW	80%
⊗ 8613GLUC	Medium	Laurel	Conventional	Logs	Nat.Gas	6.60kW	5.28kW	80%
⊗ 8613VLUC	Medium	Ivory	Conventional	Logs	Nat.Gas	6.60kW	5.28kW	80%
⊗ 8546LUC	Medium	Matt Black	Balanced	Logs	Nat.Gas	6.40kW	5.25kW	82%
⊗ 8546BLUC	Medium	Midnight	Balanced	Logs	Nat.Gas	6.40kW	5.25kW	82%
⊗ 8546GLUC	Medium	Laurel	Balanced	Logs	Nat.Gas	6.40kW	5.25kW	82%
⊗ 8546VLUC	Medium	Ivory	Balanced	Logs	Nat.Gas	6.40kW	5.25kW	82%
⊗ P8513	Medium	Matt Black	Conventional	Coals	LPG	6.30kW	4.91kW	78%
⊗ P8513B	Medium	Midnight	Conventional	Coals	LPG	6.30kW	4.91kW	78%
⊗ P8513G	Medium	Laurel	Conventional	Coals	LPG	6.30kW	4.91kW	78%
⊗ P8513V	Medium	Ivory	Conventional	Coals	LPG	6.30kW	4.91kW	78%
⊗ P8613LUC	Medium	Matt Black	Conventional	Logs	LPG	6.40kW	5.25kW	82%
⊗ P8613BLUC	Medium	Midnight	Conventional	Logs	LPG	6.40kW	5.25kW	82%
⊗ P8613GLUC	Medium	Laurel	Conventional	Logs	LPG	6.40kW	5.25kW	82%
⊗ P8613VLUC	Medium	Ivory	Conventional	Logs	LPG	6.40kW	5.25kW	82%
⊗ P8546LUC	Medium	Matt Black	Balanced	Logs	LPG	6.15kW	5.04kW	82%
⊗ P8546BLUC	Medium	Midnight	Balanced	Logs	LPG	6.15kW	5.04kW	82%
⊗ P8546GLUC	Medium	Laurel	Balanced	Logs	LPG	6.15kW	5.04kW	82%
⊗ P8546VLUC	Medium	Ivory	Balanced	Logs	LPG	6.15kW	5.04kW	82%
⊗ E8613	Medium	Matt Black	N/A	Logs	Elec	–	2.00kW	99%
⊗ E8613MB	Medium	Midnight	N/A	Logs	Elec	–	2.00kW	99%
⊗ E8613LG	Medium	Laurel	N/A	Logs	Elec	–	2.00kW	99%
⊗ E8613IV	Medium	Ivory	N/A	Logs	Elec	–	2.00kW	99%

## Gas Ashdon Clear Glass

Product Code	Model	Colour	Flue Type	Logs/ Coals	Fuel Type	Heat Input	Heat Output	Efficiency
⊗ 8522	Medium	Matt Black	Conventional	Coals	Nat.Gas	6.60kW	5.15kW	78%
⊗ 8522B	Medium	Midnight	Conventional	Coals	Nat.Gas	6.60kW	5.15kW	78%
⊗ 8522G	Medium	Laurel	Conventional	Coals	Nat.Gas	6.60kW	5.15kW	78%
⊗ 8522V	Medium	Ivory	Conventional	Coals	Nat.Gas	6.60kW	5.15kW	78%
⊗ 8614LUC	Medium	Matt Black	Conventional	Logs	Nat.Gas	6.60kW	5.28kW	80%
⊗ 8614BLUC	Medium	Midnight	Conventional	Logs	Nat.Gas	6.60kW	5.28kW	80%
⊗ 8614GLUC	Medium	Laurel	Conventional	Logs	Nat.Gas	6.60kW	5.28kW	80%
⊗ 8614VLUC	Medium	Ivory	Conventional	Logs	Nat.Gas	6.60kW	5.28kW	80%
⊗ 8544LUC	Medium	Matt Black	Balanced	Logs	Nat.Gas	6.40kW	5.25kW	82%
⊗ 8544BLUC	Medium	Midnight	Balanced	Logs	Nat.Gas	6.40kW	5.25kW	82%
⊗ 8544GLUC	Medium	Laurel	Balanced	Logs	Nat.Gas	6.40kW	5.25kW	82%
⊗ 8544VLUC	Medium	Ivory	Balanced	Logs	Nat.Gas	6.40kW	5.25kW	82%
⊗ P8522	Medium	Matt Black	Conventional	Coals	LPG	6.30kW	4.91kW	78%
⊗ P8522B	Medium	Midnight	Conventional	Coals	LPG	6.30kW	4.91kW	78%
⊗ P8522G	Medium	Laurel	Conventional	Coals	LPG	6.30kW	4.91kW	78%
⊗ P8522V	Medium	Ivory	Conventional	Coals	LPG	6.30kW	4.91kW	78%
⊗ P8614LUC	Medium	Matt Black	Conventional	Logs	LPG	6.40kW	5.25kW	82%
⊗ P8614BLUC	Medium	Midnight	Conventional	Logs	LPG	6.40kW	5.25kW	82%
⊗ P8614GLUC	Medium	Laurel	Conventional	Logs	LPG	6.40kW	5.25kW	82%
⊗ P8614VLUC	Medium	Ivory	Conventional	Logs	LPG	6.40kW	5.25kW	82%
⊗ P8544LUC	Medium	Matt Black	Balanced	Logs	LPG	6.15kW	5.04kW	82%
⊗ P8544BLUC	Medium	Midnight	Balanced	Logs	LPG	6.15kW	5.04kW	82%
⊗ P8544GLUC	Medium	Laurel	Balanced	Logs	LPG	6.15kW	5.04kW	82%
⊗ P8544VLUC	Medium	Ivory	Balanced	Logs	LPG	6.15kW	5.04kW	82%

\* (Balanced flue version 20½ 520mm).  
† (Balanced flue version 6¼ 158mm).  
Recommended clearances between stove and other surfaces: top 9" (225mm), sides 6" (150mm), rear must be a minimum of 2" (50mm).  
The Ashdon has a choice of top or rear flue exit.



Ashdon Dimensions (see letters on diagram)

	A		B		C		D		E		F	
	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm
Medium	25¾	654	25¾	652	16¾	427	18¾	463	5	126	3	75

### Stove Flue Pipe (Matt Black, Laurel Green or Midnight Blue)

Balanced flue versions of the Gas Ashdon must only use the 6" stainless steel flue provided. For additional Matt Black, Midnight Blue, Laurel Green and Ivory enamelled flue collars, please see the Gazco Stoves price list. Gazco recommends the use of 5" enamelled stove pipe with the conventional flue version Ashdon stove. The components usually required are:

Description	Product Code
1' Straight pipe, Matt Black	4500
2' Straight pipe, Matt Black	4501
3' Straight pipe, Matt Black	4502
90° long 'elbow' adaptor (9" projection), Matt Black	4514
1' Straight pipe, Midnight Blue	4500MBL
2' Straight pipe, Midnight Blue	4501MBL
3' Straight pipe, Midnight Blue	4502MBL
1' Straight pipe, Laurel Green	4500LG
2' Straight pipe, Laurel Green	4501LG
3' Straight pipe, Laurel Green	4502LG
1' Straight pipe, Ivory	4500IV
2' Straight pipe, Ivory	4501IV
3' Straight pipe, Ivory	4502IV
Flue collar, Matt Black	8549
Flue collar, Midnight Blue	8549MB
Flue collar, Laurel Green	8549LG
Flue collar, Ivory	8549IV

### Longer legs - Matt Black only

A set of longer legs, raising the height of the Ashdon by 2½ (55mm) is available as an optional extra. Product code 8113.

\*Not suitable for use with optional rear closure plate.




# Gas Brunel

Product Code	Colour	Flue Type	Logs/ Coals	Fuel Type	Heat Input	Heat Output	Efficiency
⊗ 8050	Matt Black	Conventional	Coals	Nat.Gas	4.50kW	3.51kW	78%
⊗ 8050B	Midnight	Conventional	Coals	Nat.Gas	4.50kW	3.51kW	78%
⊗ 8050G	Laurel	Conventional	Coals	Nat.Gas	4.50kW	3.51kW	78%
⊗ P8050	Matt Black	Conventional	Coals	LPG	4.45kW	3.47kW	78%
⊗ P8050B	Midnight	Conventional	Coals	LPG	4.45kW	3.47kW	78%
⊗ P8050G	Laurel	Conventional	Coals	LPG	4.45kW	3.47kW	78%

### Stove Flue Pipe (Matt Black, Laurel Green or Midnight Blue)

Gazco recommends the use of 5" enamelled stove pipe with the Brunel stove. The components usually required are:

Description	Product Code
1' Straight pipe	4500
2' Straight pipe	4501
3' Straight pipe	4502
90° Short 'elbow' adaptor (6" projection)	4521
90° Long 'elbow' adaptor (9" projection)	4514
1' Straight pipe, Midnight Blue	4500MBL
2' Straight pipe, Midnight Blue	4501MBL
3' Straight pipe, Midnight Blue	4502MBL
1' Straight pipe, Laurel Green	4500LG
2' Straight pipe, Laurel Green	4501LG
3' Straight pipe, Laurel Green	4502LG



Recommended clearances between stove and other surfaces: top 9" (225mm), sides 6" (150mm), rear must be a minimum of 2" (50mm).

The Brunel has a rear flue exit only and can be supplied with an optional rear closure plate (8107) and spigot extension (8111).

### Longer legs

Sets of longer legs, raising the height of the Brunel to 26 7/8" (685mm) are available as an optional extra\*:

\*Not suitable for use with optional rear closure plate.


Description	Product Code
Matt Black - longer legs	8049

# Gas Regency

Product Code	Model	Colour	Logs/ Coals	Fuel Type	Heat Input	Heat Output	Efficiency
8069	Small	Matt Black	Coals	Nat.Gas	10.60kW	2.65kW	25%
8070	Medium	Matt Black	Coals	Nat.Gas	12.30kW	3.07kW	25%
P8069	Small	Matt Black	Coals	LPG	11.00kW	2.75kW	25%
P8070	Medium	Matt Black	Coals	LPG	13.00kW	3.25kW	25%

Recommended clearances between stove and other surfaces: top 9" (225mm), sides 6" (150mm), rear must be a minimum of 2" (50mm).

The Regency has a choice of top or rear flue exit.



Regency Dimensions (see letters on diagram)

	A		B		C		D		E		F		G	
	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm
Small	30	760	23 5/8	600	28 3/4	730	33 1/2	850	30	760	35 7/8	910	20 3/4	530
Medium	31 1/2	800	26	660	31 1/8	790	37 1/2	950	31 1/8	790	37	940	23 3/4	600

### Stove Flue Pipe


Gazco recommends the use of Stovax 8" Matt Black enamelled stove pipe with the Regency stove (or 7" pipe using a reducing adaptor). The matching adapters required are:

Description	Product Code
Top exit	1' straight with door 4808 or 7" 4708
	2' straight with door 4809 or 7" 4709
	3' straight with door 4810 or 7" 4710
Rear exit	90° "T" Adaptor 4817

• All Gas Regency Stoves should be installed into a Class 1 chimney.

# Gas Ceramica Manhattan

Product Code	Colour/ Finish	Logs/ Coals	Flue Type	Fuel Type	Heat Input	Heat Output	Efficiency
⊗ 8578A	Matt Beige	Coals	Conventional	Nat.Gas	6.60kW	5.15kW	78%
⊗ 8615ALUC	Matt Beige	Logs	Conventional	Nat.Gas	6.60kW	5.15kW	78%
⊗ 8537ALUC	Matt Beige	Logs	Balanced	Nat.Gas	6.40kW	5.25kW	82%
⊗ P8578A	Matt Beige	Coals	Conventional	LPG	6.30kW	4.91kW	78%
⊗ P8615ALUC	Matt Beige	Logs	Conventional	LPG	6.40kW	4.99kW	78%
⊗ P8537ALUC	Matt Beige	Logs	Balanced	LPG	6.15kW	5.04kW	82%



**Ceramica Manhattan Dimensions** (see letters on diagram)

Product Code	A		B		C		D		E	
	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm
<b>Ceramica</b>	28	711	28½	720	16¾	427	17¾	453	5¾	145

Recommended clearances between stove and other surfaces: top 9" (225mm), sides 6" (150mm) rear must be a minimum of 2" (50mm).

The Manhattan has a choice of top or rear flue exit. Small steel balanced flue stoves are rear exit only.

## Stove Flue Pipes


Balanced flue versions of the Gas Manhattan must only use the 6" stainless steel flue provided. For additional Matt Black, Midnight Blue, Laurel Green and Ivory enamelled flue collars, please see the Gazco Stoves price list. Gazco recommends the use of 5" matt black enamelled stove pipe with the conventional flue version Manhattan stove. The components usually required are:

Description	Product Code
1' Straight pipe	4500
2' Straight pipe	4501
3' Straight pipe	4502
90° Long 'elbow' adaptor (9" projection)	4514
Flue collar	8549

# Gas and Electric Steel Manhattan

Product Code	Model	Steel Finish	Flue Type	Logs/ Coals	Fuel Type	Heat Input	Heat Output	Efficiency
⊗ 8622AN	Small	Anthracite	Bal. Flue	Logs	Nat.Gas	3.65kW	2.85kW	78%
⊗ 8622BS	Small	Brushed Stainless	Bal. Flue	Logs	Nat.Gas	3.65kW	2.85kW	78%
⊗ 8619AN	Medium	Anthracite	Con. Flue	Coals	Nat.Gas	6.60kW	5.15kW	78%
⊗ 8619BS	Medium	Brushed Stainless	Con. Flue	Coals	Nat.Gas	6.60kW	5.15kW	78%
⊗ 8618ANLUC	Medium	Anthracite	Con. Flue	Logs	Nat.Gas	6.60kW	5.28kW	80%
⊗ 8618BSLUC	Medium	Brushed Stainless	Con. Flue	Logs	Nat.Gas	6.60kW	5.28kW	80%
⊗ 8620ANLUC	Medium	Anthracite	Bal. Flue	Logs	Nat.Gas	6.40kW	5.25kW	82%
⊗ 8620BSLUC	Medium	Brushed Stainless	Bal. Flue	Logs	Nat.Gas	6.40kW	5.25kW	82%
⊗ P8622AN	Small	Anthracite	Bal. Flue	Logs	LPG	3.65kW	2.85kW	78%
⊗ P8622BS	Small	Brushed Stainless	Bal. Flue	Logs	LPG	3.65kW	2.85kW	78%
⊗ P8619AN	Medium	Anthracite	Con. Flue	Coals	LPG	6.30kW	4.91kW	78%
⊗ P8619BS	Medium	Brushed Stainless	Con. Flue	Coals	LPG	6.30kW	4.91kW	78%
⊗ P8618ANLUC	Medium	Anthracite	Con. Flue	Logs	LPG	6.40kW	5.25kW	82%
⊗ P8618BSLUC	Medium	Brushed Stainless	Con. Flue	Logs	LPG	6.40kW	5.25kW	82%
⊗ P8620ANLUC	Medium	Anthracite	Bal. Flue	Logs	LPG	6.15kW	5.04kW	82%
⊗ P8620BSLUC	Medium	Brushed Stainless	Bal. Flue	Logs	LPG	6.15kW	5.04kW	82%

⊗ E8622AN	Small	Anthracite	N/A	Logs	Electric	—	2.00kW	99%
⊗ E8622BS	Small	Brushed Stainless	N/A	Logs	Electric	—	2.00kW	99%
⊗ E8619AN	Medium	Anthracite	N/A	Logs	Electric	—	2.00kW	99%
⊗ E8619BS	Medium	Brushed Stainless	N/A	Logs	Electric	—	2.00kW	99%



**Steel Manhattan Dimensions** (see letters on diagram)

Product Code	A		B		C		D		E	
	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm
<b>Small Steel</b>	24¾	633	21¾	540	14¾	360	16¾	425	-	-
<b>Medium Steel (BF)</b>	26¾	683	27¾	709	16¾	425	20	509	7	177
<b>Medium Steel (CF)</b>	26¾	683	27¾	709	16¾	425	17¾	455	5¾	144
<b>Small Electric</b>	24¾	633	21¾	540	14¾	360	-	-	-	-
<b>Medium Electric</b>	26¾	683	27¾	709	16¾	425	-	-	-	-

# Gas F40 Avanti

Product Code	Model	Flue Type	Logs/ Coals	Fuel Type	Heat Input	Heat Output	Efficiency
⊗ 8685MCUC	Avanti	Conventional	Coals	Nat Gas	5.45kW	3.98kW	73%
⊗ 8685MMCUC	Midi	Conventional	Coals	Nat Gas	5.45kW	3.98kW	73%
⊗ 8685HMCUC	Highline	Conventional	Coals	Nat Gas	5.45kW	3.98kW	73%
⊗ 8686LUC	Avanti	Balanced	Logs	Nat Gas	5.00kW	3.90kW	78%
⊗ 8686MLUC	Midi	Balanced	Logs	Nat Gas	5.00kW	3.90kW	78%
⊗ 8686HLUC	Highline	Balanced	Logs	Nat Gas	5.00kW	3.90kW	78%
⊗ P8685MCUC	Avanti	Conventional	Coals	LPG	5.50kW	4.02kW	73%
⊗ P8685MMCUC	Midi	Conventional	Coals	LPG	5.50kW	4.02kW	73%
⊗ P8685HMCUC	Highline	Conventional	Coals	LPG	5.45kW	4.02kW	73%
⊗ P8686LUC	Avanti	Balanced	Logs	LPG	4.60kW	3.59kW	78%
⊗ P8686MLUC	Midi	Balanced	Logs	LPG	4.60kW	3.59kW	78%
⊗ P8686HLUC	Highline	Balanced	Logs	LPG	4.60kW	3.59kW	78%

Gas F40 Avanti Conventional & Balanced Flue Dimensions (see letters on diagram)

	A		B		C		D		E	
	ins	mm	ins	mm	ins	mm	ins*	mm*	ins	mm
Avanti	18½	462	25½	644	13	331	17½ / 17¾	453/456	4¾	119
Midi	18½	462	32½	824	13	331	25 / 25½	633/636	4¾	119
Highline	18½	462	39¾	999	13	331	31¼ / 32	808/811	4¾	119

\*CF/BF


Recommended clearances between stove and other surfaces: top 9" (225mm), sides 6" (150mm), rear 2" (50mm).

\*(Balanced flue 6½" 165mm).

## Stove Flue Pipe

Balanced flue versions of the Gas F40 Avanti must only use the 6" stainless steel flue provided. For additional Matt Black, Midnight Blue, Laurel Green and Ivory enamelled flue collars, please see the Gazco Stoves price list. Gazco recommends the use of 5" matt black enamelled stove pipe with the conventional flue version F40 Avanti stove. The components usually required are:

Description	Product Code
1' Straight pipe	4500
2' Straight pipe	4501
3' Straight pipe	4502
90° Long 'elbow' adaptor (9" projection)	4514
Flue collar	8549



# Gas Riva F67

Product Code	Model	Flue Type	Logs/ Coals	Fuel Type	Heat Input	Heat Output	Efficiency
⊗ 8742CFLUC	F67	Con. Flue	Logs	Nat Gas	6.80kW	4.90kW	72%
⊗ 8742BFLUC	F67	Bal. Flue	Logs	Nat Gas	6.10kW	4.58kW	75%
⊗ 8741CFLUC	F67 Pedestal	Con. Flue	Logs	Nat Gas	6.80kW	4.90kW	72%
⊗ 8741BFLUC	F67 Pedestal	Bal. Flue	Logs	Nat Gas	6.10kW	4.58kW	75%
⊗ P8742BFLUC	F67	Bal. Flue	Logs	LPG	5.80kW	4.35kW	75%
⊗ P8742CFLUC	F67	Con. Flue	Logs	LPG	6.70kW	4.82kW	72%
⊗ P8741CFLUC	F67 Pedestal	Con. Flue	Logs	LPG	6.70kW	4.82kW	72%
⊗ P8741BFLUC	F67 Pedestal	Bal. Flue	Logs	LPG	5.80kW	4.35kW	75%

Gas F67 Riva Dimensions (see letters on diagram)

	A		B		C		D		E	
	ins	mm	ins	mm	ins	mm	ins	mm	ins	mm
Riva F67 (CF)	23¾	592	16½	420	4¾	124	21¼	540	34¾	880
Riva F67 (BF)	23¾	592	16½	420	5¾	149	21¼	543	34¾	880
Riva F67 Pedestal (CF)	33¾	834	16½	420	4¾	124	21¼	540	34¾	880
Riva F67 Pedestal (BF)	33¾	834	16½	420	5¾	149	21¼	543	34¾	880


The Riva F67 can also be placed on one of our six Riva Stove Benches. Please see page 69 for further information.

Recommended clearances between stove and other surfaces: top 9" (225mm), sides 6" (150mm), rear 2" (50mm). The Gas F67 Riva has a top flue exit only.

## Stove Flue Pipe

Balanced flue versions of the Gas Riva F67 must only use the 6" stainless steel flue provided. For additional Matt Black, Midnight Blue, Laurel Green and Ivory enamelled flue collars, please see the Gazco Stoves price list. Gazco recommends the use of 5" matt black enamelled stove pipe with the conventional flue version Riva F67 stove. The components usually required are:

Description	Product Code
1' Straight pipe	4500
2' Straight pipe	4501
3' Straight pipe	4502
90° Long 'elbow' adaptor (9" projection)	4514
Flue collar	8549



# Riva Nemos

Product Code	Steel Finish	Fuel Effect	Fuel Type	Heat Input	Heat Output	Efficiency
⊗ 8627IR	Iridium	Driftwood	Nat.Gas	6.80kW	5.10kW	75%
⊗ 8627BS	Brushed Stainless	Driftwood	Nat.Gas	6.80kW	5.10kW	75%
⊗ P8627IR	Iridium	Driftwood	LPG	6.30kW	4.73kW	75%
⊗ P8627BS	Brushed Stainless	Driftwood	LPG	6.30kW	4.73kW	75%


Recommended clearances between stove and other surfaces: top 8" (200mm), sides 2" (50mm), rear 2" (50mm). The Riva Nemos has a top flue exit only.

### Anthracite and Stainless Steel flue pipe

For details of kits and components, please see page 69.


### Stove Flue Pipe

Balanced flue Gas Riva Nemos must only use the 6" stainless steel flue provided.



# Gas Riva Vision Large

Balanced Flue




Gas Riva Vision Large Dimensions (see letters on diagram)

	A	B	C	D	E	F	G	H	I	J	K	L	M
All sizes in mm													
Gas Riva Vision Large CF	149	96	115	646	320	172	66	43	631	390	876	438	140
Gas Riva Vision Large BF	180	97	115	646	320	171	62	69	656	375	876	438	152

Product Code	Flue Type	Logs/ Coals	Fuel Type	Heat Input	Heat Output	Efficiency
526-274	Con. Flue	Logs	Nat. Gas	6.70kW	4.70kW	70%
526-397	Bal. Flue	Logs	Nat. Gas	6.40kW	5.20kW	81%
526-327	Con. Flue	White Stones	Nat. Gas	6.90kW	4.85kW	70%
526-059	Bal. Flue	White Stones	Nat. Gas	6.30kW	5.10kW	81%
526-616	Con.Flue	Logs	LPG	6.90kW	4.83kW	70%
526-730	Bal. Flue	Logs	LPG	6.30kW	5.10kW	81%
526-428	Con. Flue	White Stones	LPG	6.90kW	4.85kW	70%
526-551	Bal. Flue	White Stones	LPG	6.10kW	4.95kW	81%

Recommended clearances between stove and other surfaces: top 9" (225mm), sides 6" (150mm), rear 2" (50mm). The Gas Riva Vision Large has a top flue exit only.

Conventional Flue



### Stove Flue Pipe

Balanced flue versions of the Gas Riva Vision Large must only use the 6" stainless steel or anthracite flue pipe. For the conventional flue version of the Gas Riva Vision Large Gazco recommends the use of 5" matt black or gloss enamelled stove pipe. The components usually required are:

Matt Black Flue Pipe	Product Code
1' Straight pipe	4500
2' Straight pipe	4501
3' Straight pipe	4502
90° Long 'elbow' adaptor (9" projection)	4514
Flue collar	8549
Gloss Flue Pipe	Product Code
1' Straight pipe	4500GB
2' Straight pipe	4501GB
3' Straight pipe	4502GB
135° Bend	4512GB

The Gas Riva Vision Large can also be placed on one of our six Riva Stove Benches. Please see page 69 for further information.



# Components for balanced flue models

Ask your retailer for full technical details or see our Concentric Flue System brochure at [www.gazco.com](http://www.gazco.com).

## Basic Stainless Steel Kits

	Product Code
Rear exit, horizontal - complete with terminal guard	<b>8526</b>
Top exit, up & out, stoves	<b>8523</b>
Top exit, up & out, Nemos & F67	<b>8534</b>
Top exit, vertical	<b>8524</b>
45° offset bend (set of two) for use with <b>8524</b>	<b>8530</b>

## Basic Anthracite Steel Kits

	Product Code
Top exit, up & out, stoves	<b>8523AN</b>
Top exit, up & out, Nemos & F67	<b>8534AN</b>
Top exit, vertical	<b>8524AN</b>
45° offset bend (set of two) for use with <b>8524AN</b>	<b>8530AN</b>

## Additional Stainless Steel components for top exit (as required)

	Product Code
200mm straight (effective length 140mm)	<b>8527</b>
500mm straight (effective length 440mm)	<b>8528</b>
1000mm straight (effective length 940mm)	<b>8529</b>
364-554mm adjustable straight	<b>999-062</b>
15° bend	<b>999-003</b>
30° bend	<b>999-016</b>
45° bend	<b>8507</b>
90° bend	<b>8508</b>
Rear flue terminal	<b>999-096</b>
Horizontal flue terminal (wall)	<b>999-105</b>
Vertical flue terminal (roof)	<b>999-141</b>
Fixed wall support	<b>999-072</b>
Adjustable wall support	<b>999-130</b>
External wall finishing plate	<b>999-235</b>

## Additional Anthracite Steel components for top exit (as required)

	Product Code
200mm straight (effective length 140mm)	<b>8527AN</b>
500mm straight (effective length 440mm)	<b>8528AN</b>
1000mm straight (effective length 940mm)	<b>8529AN</b>
45° bend	<b>8507AN</b>
90° bend	<b>8508AN</b>


## Additional Steel components for top exit

	Product Code
Flue collar, Matt Black	<b>8548</b>
Flue collar, Midnight Blue	<b>8548MB</b>
Flue collar, Laurel Green	<b>8548LG</b>
Flue collar, Ivory	<b>8548IV</b>


## Terminal Guards

	Product code
Rear exit	<b>999-159</b>
Horizontal exit	<b>999-201</b>


Rear Exit Terminal



Up & Out Terminal



Vertical Terminal



# Riva Benches

Compatible with the Gas Riva Vision Large (page 40-43) and the Riva F67 Gas (page 44-47).

Product Code	Product	W (mm)	H (mm)	D (mm)
<b>RVACLB100B</b>	100 Low Riva bench	1000	250	420
<b>RVACB100B</b>	100 High Riva bench	1000	350	420
<b>RVACLB120B</b>	120 Low Riva bench	1200	250	420
<b>RVACB120B</b>	120 High Riva bench	1200	350	420
<b>RVACLB140B</b>	140 Low Riva bench	1400	250	420
<b>RVACB140B</b>	140 High Riva bench	1400	350	420



100 Low



120 Low



140 Low



100 High



120 High



140 High

The above information is to assist in your choice of a suitable Gazco stove. This is not intended to be all the information required to install your stove. This can be obtained from your local Gazco retailer or you can download the full installation instructions from the Gazco website at [www.gazco.com](http://www.gazco.com)

## Other products offered by the Gazco family that may be of interest to you include:



### Gazco Fires

[www.gazco.com](http://www.gazco.com)

Featuring hundreds of different fire and surround permutations, this brochure really does feature a fire for every home. Offering the wonderful ambience of a real fire-effect with superb efficiency, these built-in appliances give you the choice of gas or electric to heat your home. To receive a copy of the Gas Fires brochure, please call **01392 474061**.



### Stovax Woodburning & Multi-fuel Stoves [www.stovax.com](http://www.stovax.com)

Relax in the irresistible ambience that a real woodburning stove creates. Stovax stoves offer a wide range of expertly crafted designs from contemporary to traditional, giving you the flexibility required for modern day living. Synonymous with quality and efficiency these extraordinary stoves will really make a statement that friends and family will warm to instantly. To receive a copy of the Stovax Stoves brochure, please call **01392 474056**.



### Stovax Riva Studio Fires

[www.stovax.com](http://www.stovax.com)

Expertly designed, the Riva Studio's clean, contemporary lines complement modern interiors and incorporate Stovax's technically advanced Cleanburn combustion and Airwash systems. To own a Riva Studio is to make a design statement that will become a heart-warming focal point to your home. There are even two Freestanding models to ensure that there will be a Riva Studio just right for you. To receive a copy of the Riva Stoves brochure, please call **01392 474056**.



### Wamsler Cookers & Stoves

[www.wamslercookers.co.uk](http://www.wamslercookers.co.uk)

Wamsler products, synonymous with the manufacture of solid fuel cookers and heating products, are now available in the UK and Republic of Ireland. Featuring a wide choice of solid fuel cookers, central heating cookers and multi-fuel stoves that are particularly suited to British & Irish homes, Wamsler offer a viable ecological way to heat your home and cook. For a copy of the Wamsler brochure, please call **01392 474079**.

Details on the full range of products available and brochure PDF's can be found at all the websites as detailed above.

---

*Gazco is a member of the Stovax Group which manufactures and distributes many other high quality fireplace products:*



Gazco gratefully acknowledges the assistance of the following companies with photographic settings:

**Furnishings and Ornaments:-** [www.furniturevillage.co.uk](http://www.furniturevillage.co.uk); [www.debenhams.com](http://www.debenhams.com); [www.eclectique.co.uk](http://www.eclectique.co.uk); [www.theorangetree.co.uk](http://www.theorangetree.co.uk); [www.houseoffraser.co.uk](http://www.houseoffraser.co.uk); [www.lauraashley.com](http://www.lauraashley.com); [www.faginsantiques.com](http://www.faginsantiques.com); [www.habitat.co.uk](http://www.habitat.co.uk); [www.stbridgetnurseries.co.uk](http://www.stbridgetnurseries.co.uk); [www.ashorejewellery.co.uk](http://www.ashorejewellery.co.uk); [www.johnlewis.com](http://www.johnlewis.com)

**Wood Mantels:-** [www.stovax.com](http://www.stovax.com) **Stone Mantels:-** [www.rudloe-stone.com](http://www.rudloe-stone.com); [www.farmington.co.uk](http://www.farmington.co.uk); [www.bnsp.co.uk](http://www.bnsp.co.uk) **Paintings:-** [www.easyart.com](http://www.easyart.com)

**Wood Flooring:-** [www.beachbros.co.uk](http://www.beachbros.co.uk) **Stone Floors:-** [www.originalstyle.com](http://www.originalstyle.com) **Televisions:-** [www.heavytreeradio.co.uk](http://www.heavytreeradio.co.uk)





Gas Riva Vision Large (conventional flue) with log-effect fire and Gloss Black flue pipe



#### **Gazco Limited**

Osprey Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7JG

Tel: 01392 261999 Fax: 01392 444148

E-mail: [info@gazco.com](mailto:info@gazco.com) Internet: [www.gazco.com](http://www.gazco.com)

*A member of the Stovax Group*

Paper sourced from sustainable forests and printed using vegetable based inks

Your Gazco stockist:

£3.00

